

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0060844
Facility Name: CONVATEC INC

Billing Address: CONVATEC INC
211 AMERICAN AVE
GREENBORO, NC 27409

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2856.61 = (140.0000 * 0.7615) + 2750.00

Facility Location: 200 HEADQUARTERS PARK DR
SKILLMAN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 7

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 6

Design Flow: 0.0032

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101702

Facility Name: COIM USA INC PAULSBORO

Billing Address: COIM USA INC
286 MANTUA GROVE RD - BLDG 1
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 675 BILLINGSPOUR RD
GREENWICH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0067482

Facility Name: PRUDENT PUBLISHING CO

Billing Address: KIKIA ASSOCIATES LLC
65 CHALLENGER RD
RIDGEFIELD PARK, NJ 07660

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2845.19 = (125.0000 * 0.7615) + 2750.00

Facility Location: 400 NORTH FRONTAGE RD
ROXBURY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101729

Facility Name: BUCKEYE PENNSAUKEN TERMINAL LLC

Billing Address: BUCKEYE PENNSAUKEN TERMINAL LLC
123 DEROUSSE AVE
PENNSAUKEN, NJ 08810

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 123 DEROUSSE AVE
PENNSAUKEN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0055247
Facility Name: ESSEX COUNTY RESOURCE RECOVERY

Billing Address: COVANTA ESSEX CO
183 RAYMOND BLVD
NEWARK, NJ 07105

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 183 RAYMOND BLVD
NEWARK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101354

Facility Name: ALBEA AMERICAS INC WASHINGTON FACILITY

Billing Address: ALBEA AMERICAS INC
191 RT 31
WASHINGTON, NJ 07882

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 191 RT 31 N
WASHINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090069

Facility Name: ANDOVER UTILITY COMPANY

Billing Address: ANDOVER UTILITY CO
525 RIVERSIDE AVE
ANDOVER, NJ 07821

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8099.54 = (7025.0000 * 0.7615) + 2750.00

Facility Location: 99 MULFORD RD
ANDOVER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 281

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 280

Design Flow: 0.1400

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0058246
Facility Name: FAWN RUN DEVELOPMENT

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3492.46 = (975.0000 * 0.7615) + 2750.00

Facility Location: LEHIGH AVE
BLOOMSBURY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 39

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 38

Design Flow: 0.0190

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0053422
Facility Name: MORRIS CHASE

Billing Address: NJ AMERICAN WATER
601 RT 202/206
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5853.11 = (4075.0000 * 0.7615) + 2750.00

Facility Location: LAMERSON CIR
MOUNT OLIVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 163

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 162

Design Flow: 0.0810

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065226

Facility Name: SUEZ WATER ARLINGTON HILLS INC

Billing Address: UNITED WATER CO ARLINGTON HILLS
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7577.91 = (6340.0000 * 0.7615) + 2750.00

Facility Location: VALLEY RD
MOUNT ARLINGTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 317

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 316

Design Flow: 0.1580

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0067229
Facility Name: ARROW MILL PLAZA

Billing Address: OSJ OF CLINTON NJ LLC
375 COMMERCE PARK RD
NORTH KINGSTON, RI 02852

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3016.53 = (350.0000 * 0.7615) + 2750.00

Facility Location: RT 31
CLINTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 14

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 13

Design Flow: 0.0066

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0077771

Facility Name: B L ENGLAND GENERATING STATION

Billing Address: BL ENGLAND GENERATING STATION
900 N SHORE RD
BEESLEYS POINT, NJ 08223

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3378.24 = (825.0000 * 0.7615) + 2750.00

Facility Location: 900 N SHORE RD
BEESLEYS POINT

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 33

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 32

Design Flow: 0.0160

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109703

Facility Name: ATLANTIC COUNTY UTILITIES AUTH WWTF

Billing Address: ATLANTIC CNTY UTILITIES AUTH
PO BOX 996
PLEASANTVILLE, NJ 082320996

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5796.76 = (4001.0000 * 0.7615) + 2750.00

Facility Location: 1801 ABSECON BLVD
ATLANTIC CITY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 4001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4000

Design Flow: 40.0000

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0131911
Facility Name: ACUA HOWARD F HANEMAN ENVIRONMENTAL

Billing Address: ATLANTIC CNTY UTILITIES AUTH
PO BOX 996
PLEASANTVILLE, NJ 08232

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 30719.72 = (31280.000 * 0.7615) + 6900.00

Facility Location: 6700 DELILAH RD
EGG HARBOR TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined
Pollution Potential Factor: 782

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 762

Tons of Solid Waste Deposited: 304484.82 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104060

Facility Name: MCWANE DUCTILE - NJ A DIVISION OF

Billing Address: MCWANE DUCTILE NJ A DIVISION OF
MCWANE I
183 SITGREAVES ST

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 183 SITGREAVES ST
PHILLIPSBURG

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0066907
Facility Name: VILLAGE SQUARE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3359.20 = (800.0000 * 0.7615) + 2750.00

Facility Location: STROTZ & MILLBROOK LN
UNION TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 32

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 31

Design Flow: 0.0156

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0069884

Facility Name: THE LINKS AT AVALON

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5320.06 = (3375.0000 * 0.7615) + 2750.00

Facility Location: 1506 RT 9
MIDDLE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 135

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 134

Design Flow: 0.0672

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051098

Facility Name: WEST MILFORD MUA - BALD EAGLE VILLAGE

Billing Address: SUEZ WATER NJ BALD EAGLE VILLAGE WWTP
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5811.23 = (4020.0000 * 0.7615) + 2750.00

Facility Location: 1480 UNION VALLEY RD
WEST MILFORD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 201

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 200

Design Flow: 0.1000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128571

Facility Name: BEL-RAY COMPANY LLC

Billing Address: BEL RAY CO LLC
PO BOX 526
FARMINGDALE BORO, NJ 07727

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 1201 BOWMAN AVE
WALL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101478

Facility Name: BOREALIS COMPOUNDS INC

Billing Address: BOREALIS COMPOUNDS INC
176 THOMAS RD
PORT MURRAY, NJ 07865

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 176 THOMAS RD
PORT MURRAY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065196

Facility Name: 390 RT 57

Billing Address: 390 ROUTE 57 LLC
PO BOX 2177 - 16 BLANCHE ST - STE D
LINDEN, NJ 07036

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2864.23 = (150.0000 * 0.7615) + 2750.00

Facility Location: RT 57
WASHINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 5

Design Flow: 0.0027

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0068829
Facility Name: BRASS CASTLE ESTATES

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3606.69 = (1125.0000 * 0.7615) + 2750.00

Facility Location: COUNTY RT 579
UNION

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 45

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 44

Design Flow: 0.0220

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0066117

Facility Name: BRIDGEWATER RESOURCE INC

Billing Address: BRIDGEWATER RESOURCES INC
15 POLHEMUS LN
BRIDGEWATER TWP, NJ 08807

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3511.50 = (1000.0000 * 0.7615) + 2750.00

Facility Location: 15 POLHEMUS LN
BRIDGEWATER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0083798

Facility Name: BURLINGTON CNTY RESOURCE RECOVERY

Billing Address: BURLINGTON CNTY RESOURCE RECOVERY
COMPLE
PO BOX 429

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 26638.08 = (25920.000 * 0.7615) + 6900.00

Facility Location: 22000 COLUMBUS RD
MANSFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 30 Landfills, completely lined

Pollution Potential Factor: 864

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 844

Tons of Solid Waste Deposited: 337008.32 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051071
Facility Name: C&E CANNERS INC

Billing Address: C&E CANNERS INC
PO BOX 229
HAMMONTON, NJ 08037

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 1249 MAYS LANDING RD
FOLSOM

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0050547

Facility Name: CMCMUA SECURE SANITARY LANDFILL

Billing Address: CAPE MAY CNTY MUA
PO BOX 610
CAPE MAY COURT HOUSE, NJ 08210

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 17271.63 = (13620.000 * 0.7615) + 6900.00

Facility Location: 2050 RT 610
WOODBINE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 30 Landfills, completely lined

Pollution Potential Factor: 454

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 434

Tons of Solid Waste Deposited: 173006.32 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0023663

Facility Name: CARRIER FOUNDATION WTP

Billing Address: HMH CARRIER CLINIC INC
PO BOX 147 - 252 RT 601
BELLE MEAD, NJ 08502

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.91 = (101.0000 * 0.7615) + 2750.00

Facility Location: EAST MOUNTAIN RD
BELLE MEAD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 101

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 100

Design Flow: 0.0500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0062944

Facility Name: CEDAR SQUARE SHOPPING CENTER

Billing Address: RUTH MANAGEMENT LLC
205 W 89TH ST - STE 11S
NEW YORK, NY 10024

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3267.82 = (680.0000 * 0.7615) + 2750.00

Facility Location: 2087 S SHORE RD
UPPER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 34

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 33

Design Flow: 0.0166

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128996

Facility Name: CARNEYS POINT GENERATING PLANT

Billing Address: CHAMBERS COGENERATION LP
500 SHELL RD
CARNEYS POINT, NJ 080692926

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 500 SHELL RD
CARNEYS POINT

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0098621

Facility Name: DIAMOND SAND & GRAVEL CO INC

Billing Address: DIAMOND SAND & GRAVEL INC
33 DEMAREST RD
SPARTA, NJ 07871

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 33 DEMAREST RD
SPARTA

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0071013
Facility Name: FOUR SEASONS AT CHESTER

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3873.21 = (1475.0000 * 0.7615) + 2750.00

Facility Location: RT 206
CHESTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 59

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 58

Design Flow: 0.0291

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0054101

Facility Name: CHESTER BOROUGH WTF

Billing Address: CHESTER BORO
50 NORTH RD
CHESTER, NJ 07930

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5624.66 = (3775.0000 * 0.7615) + 2750.00

Facility Location: OAKDALE RD (TREATMENT PLANT)
CHESTER BORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 151

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 150

Design Flow: 0.0750

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105244
Facility Name: BASF CORP

Billing Address: BASF CORP
227 OAK RIDGE PKWY
TOMS RIVER, NJ 08755

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3511.50 = (1000.0000 * 0.7615) + 2750.00

Facility Location: OAK RIDGE PKWY
TOMS RIVER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109495

Facility Name: CITGO PETROLEUM - PETTY'S ISLAND

Billing Address: CITGO PETROLEUM CORP
PO BOX 655 - 36TH ST & DELAWARE RIVER
PENNSAUKEN, NJ 08110

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 36TH ST & DELAWARE RIVER
PENNSAUKEN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0074012

Facility Name: LAKEWOOD COGENERATION LP

Billing Address: LAKEWOOD COGENERATION LP
123 ENERGY WAY
LAKEWOOD, NJ 08701

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 123 ENERGY WAY
LAKEWOOD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102148

Facility Name: COLONIAL PIPELINE CO WOODBURY JUNCTION

Billing Address: COLONIAL PIPELINE CO WOODBURY
JUNCTION
696 MANTUA GROVE RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 696 MANTUA GROVE RD
WEST DEPTFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051403

Facility Name: COLONIAL PIPELINE CO ALLENTOWN STATION

Billing Address: COLONIAL PIPELINE CO
696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 493 WARD AVE
CHESTERFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101508

Facility Name: BUCKEYE PENNSAUKEN JUNCTION

Billing Address: BUCKEYE PENNSAUKEN JUNCTION LLC
123 DEROUSSE AVE
PENNSAUKEN, NJ 08810

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 10 ELBO LN
MOUNT LAUREL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051420

Facility Name: COLONIAL PIPELINE CO LINDEN JUNCTION TNK

Billing Address: COLONIAL PIPELINE CO LINDEN
696 MANTUA GROVE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: 400 BLAIR RD
AVENEL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0069060

Facility Name: JER/HERRING ORCHARD LLC

Billing Address: HERRING PROPERTIES
281 WITHERSPOON ST - STE 105
PRINCETON, NJ 08540

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3206.90 = (600.0000 * 0.7615) + 2750.00

Facility Location: 23 ORCH RD
MONTGOMERY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 24

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 23

Design Flow: 0.0114

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0050342

Facility Name: FEDERAL PETROLEUM TERMINAL

Billing Address: FEDERAL PETROLEUM
450 S FRONT ST
ELIZABETH, NJ 07202

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3511.50 = (1000.0000 * 0.7615) + 2750.00

Facility Location: 450 S FRONT STREET
ELIZABETH

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0102555

Facility Name: CUMBERLAND CNTY SOLID WASTE COMPLEX

Billing Address: CUMBERLAND CNTY IMPROVEMENT AUTH
2 N HIGH ST
MILLVILLE, NJ 08332

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 18185.43 = (14820.000 * 0.7615) + 6900.00

Facility Location: 169 JESSES BRIDGE RD
DEERFIELD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 30 Landfills, completely lined

Pollution Potential Factor: 494

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 474

Tons of Solid Waste Deposited: 189309.48 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102121

Facility Name: DU PONT PARLIN WORKS/PARLIN

Billing Address: EI DUPONT DE NEMOURS & CO INC
250 CHEESEQUAKE RD
PARLIN, NJ 08859

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 250 CHEESEQUAKE RD
PARLIN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0105872
Facility Name: CHAMBERS WORKS

Billing Address: CHEMOURS CO FC LLC CHAMBERS WORKS
RT 130 & CANAL RD
DEEPWATER, NJ 08023

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8910.36 = (2640.0000 * 0.7615) + 6900.00

Facility Location: RT 130
DEEPWATER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined
Pollution Potential Factor: 66

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 50 Hazardous Waste
Pollution Loading Factor: 16

Tons of Solid Waste Deposited: 6089.9800 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0120995

Facility Name: PENN JERSEY BUILDING MATERIALS CO INC

Billing Address: PENN JERSEY BUILDING MATERIALS CO INC
PO BOX 981
PLEASANTVILLE CITY, NJ 082320981

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7903.75 = (2500.0000 * 0.7615) + 6000.00

Facility Location: FIRE RD & RAIL RD
EGG HARBOR TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099571

Facility Name: INSPIRA MEDICAL CENTER ELMER

Billing Address: INSPIRA MEDICAL CENTER ELMER
501 W FRONT ST
ELMER, NJ 08312

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 501 FRONT ST
ELMER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0029203
Facility Name: KINGS GRANT STP

Billing Address: EVESHAM TWP MUA
PO BOX 467 - 984 TUCKERTON RD
MARLTON, NJ 08053

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 21041.23 = (24020.000 * 0.7615) + 2750.00

Facility Location: TOMLINSON MILL-TAUNTON RD
MARLTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 1201

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 1200
Design Flow: 0.6000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105104
Facility Name: PHILLIPS 66 CO

Billing Address: PHILLIPS 66 CO
1400 PARK AVE
LINDEN, NJ 07036

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 1400 PARK AVE
LINDEN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0089338

Facility Name: EXXONMOBIL RESEARCH AND ENGINEERING

Billing Address: EXXONMOBIL RESEARCH & ENGINEERING CO
1545 RT 22 E
ANNANDALE, NJ 088013059

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4303.46 = (2040.0000 * 0.7615) + 2750.00

Facility Location: 1545 RT 22 E
ANNANDALE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 102

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 101

Design Flow: 0.0505

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0072559

Facility Name: FAYSON LAKE WATER COMPANY

Billing Address: FAYSON LAKE WATER CO
160 BOONTON AVE
KINNELON, NJ 07405

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 160 BOONTON AVE
KINNELON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101486
Facility Name: PRESTONE PRODUCTS CORPORATION

Billing Address: PRESTONE PRODUCTS CORP
250 HALLS MILL RD
FREEHOLD TWP, NJ 077288832

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 250 HALLS MILL RD
FREEHOLD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109681

Facility Name: TRAVEL CENTERS OF AMERICA

Billing Address: TRAVELCENTERS OF AMERICA & PETRO
STOPPIN
24601 CENTER RIDGE RD - STE 200

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 975 RT 173
BLOOMSBURY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0022314
Facility Name: SANDY HOOK WTP

Billing Address: US DEPT OF INTERIOR NATIONAL PARK
SERVIC
26 HUDSON RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 9965.21 = (9475.0000 * 0.7615) + 2750.00

Facility Location: 311 ATLANTIC DR
FORT HANCOCK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 379

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 378

Design Flow: 0.1890

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0064971
Facility Name: GENIE HOUSE

Billing Address: GENIE HOUSE
PO BOX 2478
VINCENTOWN, NJ 08088

Permit Fee = (**Environmental * Rate**) + **Minimum Fee**
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 139 RED LION RD
SOUTHAMPTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0103420

Facility Name: GLOUCESTER CNTY SOLID WASTE COMPLEX

Billing Address: GLOUCESTER CNTY IMPROVEMENT AUTH
109 BUDD BLVD
WOODBURY, NJ 08096

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 66510.22 = (78280.000 * 0.7615) + 6900.00

Facility Location: 503 MONROEVILLE RD
SWEDESBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined

Pollution Potential Factor: 1957

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 1937

Tons of Solid Waste Deposited: 774307.19 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0061824

Facility Name: ANGLE IN MOBILE HOME PARK

Billing Address: ANGLE IN MOBILE HOME PARK
PO BOX 781
FARMINGDALE, NJ 07727

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: RT 33
HOWELL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101966
Facility Name: OYSTER CREEK GENERATING STATION

Billing Address: EXELON GENERATION CO LLC
741 RT 9
FORKED RIVER, NJ 087310388

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: RT 9 S
FORKED RIVER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099732
Facility Name: GRASSO FOODS

Billing Address: GRASSO FOODS INC
2111 KINGS HWY
WOOLWICH TWP, NJ 08085

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 2111 KINGS HWY
WOOLWICH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0082511

Facility Name: LEGENDS RESORT & COUNTRY CLUB

Billing Address: LEGENDS RESORT & COUNTRY CLUB
PO BOX 1400
MCAFEE, NJ 07428

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 16095.29 = (17525.000 * 0.7615) + 2750.00

Facility Location: RTE 517
MCAFEE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 701

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 700

Design Flow: 0.3500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065706

Facility Name: GREENWOOD WATERFRONT TOWNHOUSES

Billing Address: GREENWOOD WATERFRONT TOWNHOUSES
CONDO AS
4 ST CHARLES AVE

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2845.19 = (125.0000 * 0.7615) + 2750.00

Facility Location: 22 LAKESIDE RD
WEST MILFORD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102440

Facility Name: HAWORTH WATER TREATMENT PLANT

Billing Address: SUEZ WATER NJ INC
461 FROM RD - BLDG 6 - STE 400
PARAMUS, NJ 07652

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 200 LAKE SHORE DR
HAWORTH

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0076643

Facility Name: HAMILTON TWP WPCF

Billing Address: HAMILTON TWP DEPT OF WATER POLLUTION
CON
300 HOBSON AVE

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 300 HOBSON AVE
HAMILTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099198
Facility Name: BURLINGTON BEEF

Billing Address: HENRY KOHN INC
PO BOX 1004
MONROEVILLE, NJ 08343

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 30 BURLINGTON RD
UPPER PITTSBURGH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104990
Facility Name: HAMMONTON WWTP

Billing Address: HAMMONTON TOWN
100 CENTRAL AVE
HAMMONTON TOWN, NJ 08037

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 33225.23 = (40020.000 * 0.7615) + 2750.00

Facility Location: 100 PLEASANT MILLS RD RT 542
HAMMONTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 2001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 2000
Design Flow: 1.6000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0024902

Facility Name: HANOVER SEWERAGE AUTHORITY WTP

Billing Address: HANOVER TWP SEWERAGE AUTH
PO BOX 320
WHIPPANY, NJ 07981

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5035.26 = (3001.0000 * 0.7615) + 2750.00

Facility Location: 40 TROY RD
WHIPPANY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 3001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 3000

Design Flow: 4.6100

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099678

Facility Name: HARDING WOODS MHC LLC

Billing Address: HARDING WOODS MHC LLC
187 HARDING HWY
PITTSRGROVE TWP, NJ 08318

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5049.73 = (3020.0000 * 0.7615) + 2750.00

Facility Location: 187 HARDING HIGHWAY
PITTSRGROVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 151

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 150

Design Flow: 0.0750

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105252
Facility Name: HOEGANAES CORPORATION

Billing Address: HOEGANAES CORP
1001 TAYLORS LN
CINNAMINSON, NJ 080772017

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 1001 TAYLORS LN
CINNAMINSON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0004952

Facility Name: DSM NUTRITIONAL PRODUCTS INC

Billing Address: DSM NUTRITIONAL PRODUCTS LLC
205 MACKS ISLAND DR
BELVIDERE, NJ 07823

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5034.50 = (3000.0000 * 0.7615) + 2750.00

Facility Location: 206 MACKS IS DR
BELVIDERE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090158
Facility Name: JACKSON ACRES

Billing Address: JACKSON ACRES LLC
2 LISA LN S
JACKSON, NJ 085273535

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4101.66 = (1775.0000 * 0.7615) + 2750.00

Facility Location: 2 LISA LN S
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 71

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 70

Design Flow: 0.0350

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0058050

Facility Name: MENDHAM EAST WASTE WTP

Billing Address: MENDHAM TWP
PO BOX 520 - CHERRY LN & MAIN ST
BROOKSIDE, NJ 07926

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4672.79 = (2525.0000 * 0.7615) + 2750.00

Facility Location: 6 DEVONSHIRE LN
MENDHAM TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 101

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 100

Design Flow: 0.0500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0062090
Facility Name: JACKSON TOWNSHIP MUA

Billing Address: JACKSON TWP MUA
135 MANHATTAN ST
JACKSON TWP, NJ 08527

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3416.31 = (875.0000 * 0.7615) + 2750.00

Facility Location: MAPLE GLEN STP
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 35

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 34

Design Flow: 0.0170

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0073679

Facility Name: SMITHVILLE PROFESSIONAL CENTER

Billing Address: SMITHVILLE PROFESSIONAL CENTER CONDO
ASS
7 CAVESSON DR

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2887.07 = (180.0000 * 0.7615) + 2750.00

Facility Location: 48 S NEW YORK RD A-1
SMITHVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 8

Design Flow: 0.0040

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0005517
Facility Name: GILBERT GENERATING STATION

Billing Address: NRG ENERGY
315 RIEGELSVILLE RD
MILFORD, NJ 08848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2921.34 = (225.0000 * 0.7615) + 2750.00

Facility Location: 315 RIEGELSVILLE RD
HOLLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 8

Design Flow: 0.0040

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090441
Facility Name: JOHANNA FOODS INC

Billing Address: JOHANNA FOODS INC
20 JOHANNA FARMS RD
RARITAN TWP, NJ 08822

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2940.38 = (250.0000 * 0.7615) + 2750.00

Facility Location: 20 JOHANNA FARMS RD
RARITAN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0026140

Facility Name: JOHNSON & JOHNSON CONSUMER PRODUCT CO

Billing Address: JOHNSON & JOHNSON CONSUMER INC
199 GRANDVIEW RD - N0049B
SKILLMAN, NJ 08558

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 199 GRANDVIEW RD
SKILLMAN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0059897
Facility Name: WASHINGTON TWP SHOPPING CENTER

Billing Address: LAKELAND PARKS INC
237 SOUTH ST - BOX 2049
MORRISTOWN, NJ 07960

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3606.69 = (1125.0000 * 0.7615) + 2750.00

Facility Location: RT 31 & ASBURY ANDERSON RD
WASHINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 45

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 44

Design Flow: 0.0220

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0025364

Facility Name: LANDIS SEWERAGE AUTHORITY

Billing Address: LANDIS SEWERAGE AUTH
1776 S MILL RD
VINELAND, NJ 08360

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 63685.23 = (80020.000 * 0.7615) + 2750.00

Facility Location: 1776 S MILL RD
VINELAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 4001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4000

Design Flow: 8.2000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0004791
Facility Name: BRAEN ROYALTY LLC

Billing Address: BRAEN ROYALTY LLC
217 LIMECREST RD
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 217 LIMECREST RD
LAFAYETTE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0020079
Facility Name: 66 STATION RD WTP

Billing Address: PROLOGIS
1 MEADOWLANDS PLAZA - STE 100
EAST RUTHERFORD, NJ 07073

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3187.86 = (575.0000 * 0.7615) + 2750.00

Facility Location: 66 STATION RD
CRANBURY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 23

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 22

Design Flow: 0.0110

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109410
Facility Name: MOLITOR WATER POLLUTION CONTROL

Billing Address: MADISON CHATHAM JOINT MEETING
PO BOX 341
CHATHAM, NJ 07928

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 25602.62 = (30010.000 * 0.7615) + 2750.00

Facility Location: N PASSAIC AVENUE
CHATHAM

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Potential Factor: 3001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 3000
Design Flow: 3.5000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065820

Facility Name: SENECA GARDEN APARTMENTS

Billing Address: SENECA GARDEN APARTMENTS
50 RT 46 - STE 100
PARSIPPANY, NJ 07054

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3397.28 = (850.0000 * 0.7615) + 2750.00

Facility Location: RT 15 & CELLA ST
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 34

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 33

Design Flow: 0.0164

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087301
Facility Name: MARLBORO PSYCHIATRIC HOSPITAL

Billing Address: NJ DEPT OF TREASURY DPMC
PO BOX 034 - 33 W STATE ST
TRENTON, NJ 086250034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 540 NEWMAN SPRINGS RD - RT 520
MARLBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0064386

Facility Name: UNITED WATER MATCHAPONIX

Billing Address: UNITED WATER CO MATCHAPONIX
103 WILSON AVE
MANALAPAN, NJ 07726

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: RT 527 103 WILSON AVE
MANALAPAN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102806
Facility Name: MENDHAM BORO

Billing Address: MENDHAM BORO
35 IRONIA RD
MENDHAM, NJ 07945

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3436.11 = (901.0000 * 0.7615) + 2750.00

Facility Location: 35 IRONIA RD
MENDHAM

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined
Pollution Potential Factor: 901

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 900
Design Flow: 0.4500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065528
Facility Name: COOKSTOWN QUALITY INN

Billing Address: QUALITY INN MCGUIRE AFB COOKSTOWN
21 WRIGHTSTOWN COOKSTOWN RD
COOKSTOWN, NJ 08511

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3111.71 = (475.0000 * 0.7615) + 2750.00

Facility Location: 21 WRIGHTSTOWN -COOKSTOWN RD
NEW HANOVER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 19

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 18

Design Flow: 0.0089

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0085502

Facility Name: PAULSBORO REFINING CO

Billing Address: PAULSBORO REFINING CO LLC
800 BILLINGSPORT RD
PAULSBORO, NJ 08066

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 800 BILLINGSPORT RD
PAULSBORO BORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101575
Facility Name: BRISTOL MYERS SQUIBB CO

Billing Address: BRISTOL MYERS SQUIBB CO
PO BOX 5400
PRINCETON, NJ 08543

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 311 PENNINGTON-ROCKY HILL RD
HOPEWELL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0108146
Facility Name: MONMOUTH CNTY RECLAMATION CENTER

Billing Address: MONMOUTH CNTY RECLAMATION CENTER
6000 ASBURY AVE
TINTON FALLS BORO, NJ 07753

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 40649.68 = (44320.000 * 0.7615) + 6900.00

Facility Location: 6000 ASBURY AVE
TINTON FALLS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined

Pollution Potential Factor: 1108

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 1088

Tons of Solid Waste Deposited: 434753.06 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0067032

Facility Name: MOORINGS @ SWEETWATER

Billing Address: MOORINGS @ SWEETWATER
2710 7TH AVE - STE 14
HAMMONTON, NJ 08037

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2845.19 = (125.0000 * 0.7615) + 2750.00

Facility Location: 2710 7TH AVE
SWEETWATER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0018

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090115

Facility Name: CHESTER SPRINGS SHOPPING CTR

Billing Address: DPF CHESTER LLC
518 17TH ST - STE 1700
DENVER, CO 80202

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3911.29 = (1525.0000 * 0.7615) + 2750.00

Facility Location: RT 206 NORTH
CHESTER BORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 61

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 60

Design Flow: 0.0300

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099538

Facility Name: MT OLIVE VILLAGES SEWER CO STP

Billing Address: MOUNT OLIVE VILLAGES WATER CO
40 WOLFE RD
BUDD LAKE, NJ 07828

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 12817.03 = (13220.000 * 0.7615) + 2750.00

Facility Location: FORMERLY EAGLE ROCK VILLAGE
MOUNT OLIVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 661

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 660

Design Flow: 0.3300

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101290

Facility Name: TNSA SEWERAGE TREATMENT PLANT

Billing Address: NEPTUNE TWP SEWERAGE AUTH
PO BOX 765 - 634 OLD CORLIES AVE
NEPTUNE TWP, NJ 07753

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5796.76 = (4001.0000 * 0.7615) + 2750.00

Facility Location: 634 OLD CORLIES AVE
NEPTUNE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 4001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4000

Design Flow: 8.5000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105856
Facility Name: NESTLE USA INC

Billing Address: NESTLE USA INC
61 JERSEYVILLE AVE
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 61 JERSEYVILLE AVE
FREEHOLD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104469

Facility Name: NJ TRANSIT CORP - BAY HEAD RAIL YARD

Billing Address: NJ TRANSIT AUTH ENVIRONMENTAL
SERVICES U
1 PENN PLAZA E - 8TH FLR

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: TWILIGHT RD
BAY HEAD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0053147

Facility Name: DELAWARE & RARITAN CANAL

Billing Address: NJ WATER SUPPLY AUTH
PO BOX 5196 - 1851 RT 31
CLINTON TWP, NJ 08809

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: RT 202 STOCKPILE SITE
DELAWARE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099171
Facility Name: TRANQUIL VALLEY RETREAT CENTER

Billing Address: NJ CONFERENCE OF 7TH DAY ADVENTISTS
2303 BRUNSWICK AVE
LAWRENCEVILLE, NJ 08648

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3625.73 = (1150.0000 * 0.7615) + 2750.00

Facility Location: RT 517
TRANQUILITY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 46

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 45

Design Flow: 0.0225

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0064289

Facility Name: WARREN RESIDENTIAL GROUP CTR

Billing Address: NJ JUVENILE JUSTICE COMM
PO BOX 107 - 1001 SPRUCE ST - STE 202
TRENTON, NJ 086250107

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3054.60 = (400.0000 * 0.7615) + 2750.00

Facility Location: 509 BRASS CASTLE RD
OXFORD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 15

Design Flow: 0.0075

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0091219

Facility Name: MONMOUTH BATTLEFIELD STATE PK

Billing Address: NJDEP STATE PARK SERVICE
PO BOX 404 - 501 E STATE ST - 4TH FLR
TRENTON, NJ 086250404

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3530.54 = (1025.0000 * 0.7615) + 2750.00

Facility Location: 347 FREEHOLD-ENGLISHTOWN RD
MANALAPAN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 40

Design Flow: 0.0200

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0091278

Facility Name: RINGWOOD STATE PARK

Billing Address: NJDEP STATE PARK SERVICE
PO BOX 420 - 501 E STATE ST - 4TH FLR
TRENTON, NJ 086250420

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4672.79 = (2525.0000 * 0.7615) + 2750.00

Facility Location: 1304 SLOATSBURG RD
RINGWOOD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 101

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 100

Design Flow: 0.0500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0069116

Facility Name: NJ SCHOOL OF CONSERVATION

Billing Address: NJ SCHOOL OF CONSERVATION
1 WALPALANNE RD
BRANCHVILLE, NJ 07826

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3145.98 = (520.0000 * 0.7615) + 2750.00

Facility Location: 1 WAPALANNE RD
SANDYSTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 26

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 25

Design Flow: 0.0125

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0021172
Facility Name: WOODBINE DEVELOPMENTAL CENTER

Billing Address: NJDHS WOODBINE DEVELOPMENT CENTER
1175 DEHIRSCH AVE
WOODBINE, NJ 08270

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7638.83 = (6420.0000 * 0.7615) + 2750.00

Facility Location: DE HIRSH AVE
WOODBINE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 321

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 320

Design Flow: 0.1600

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0070955

Facility Name: NEW LISBON DEVELOPMENTAL CTR

Billing Address: NJ DEPT OF HUMAN SERVICES
PO BOX 700 - 222 S WARREN ST
TRENTON, NJ 086250700

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 10384.04 = (10025.000 * 0.7615) + 2750.00

Facility Location: RT 72
WOODLAND TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 401

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 400

Design Flow: 0.2000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0052302

Facility Name: KNOWLTON TOWNSHIP REST AREA

Billing Address: NJDOT BUREAU OF FACILITIES PLNG ENG &
CO
PO BOX 600

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3720.91 = (1275.0000 * 0.7615) + 2750.00

Facility Location: RT 80
KNOWLTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 51

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 50

Design Flow: 0.0250

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0060682
Facility Name: OAKS OF WEYMOUTH

Billing Address: OAKS OF WEYMOUTH
100 OAKS DR
MAYS LANDING, NJ 08330

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6443.28 = (4850.0000 * 0.7615) + 2750.00

Facility Location: 11TH AVE RD #20
WEYMOUTH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 194

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 193

Design Flow: 0.0963

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090051
Facility Name: OAKWOOD VILLAGE WTP

Billing Address: AQUA NJ
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 12059.34 = (12225.000 * 0.7615) + 2750.00

Facility Location: OAKWOOD DR
MOUNT OLIVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 489

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 488

Design Flow: 0.2440

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0103349
Facility Name: RIMTEC CORP

Billing Address: RIMTEC MANUFACTURING CORP T/A OR BA
1702 BEVERLY RD
BURLINGTON, NJ 080169998

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 1702 BEVERLY RD
BURLINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0080021
Facility Name: OCEAN CNTY LANDFILL

Billing Address: OCEAN CNTY LANDFILL CORP
25 1ST AVE - 2ND FLR
ATLANTIC HIGHLANDS, NJ 07716

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 47594.56 = (53440.000 * 0.7615) + 6900.00

Facility Location: 2498 RT 70
MANCHESTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined
Pollution Potential Factor: 1336

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 1316

Tons of Solid Waste Deposited: 526065.06 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0080021

Facility Name: OCEAN CNTY LANDFILL

Billing Address: OCEAN CNTY LANDFILL CORP
25 1ST AVE - 2ND FLR
ATLANTIC HIGHLANDS, NJ 07716

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 2498 RT 70
MANCHESTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0064998

Facility Name: CHATSWORTH RECEIVING STATION

Billing Address: OCEAN SPRAY CRANBERRIES INC
PO BOX 513 - MAIN ST
CHATSWORTH, NJ 08019

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: RT 563
WOODLAND TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0054372
Facility Name: OFFSHORE MANOR TREATMENT PLANT

Billing Address: BASS RIVER TWP
PO BOX 307
NEW GRETN, NJ 08224

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4044.55 = (1700.0000 * 0.7615) + 2750.00

Facility Location: RT 9 CEDAR AVE
BASS RIVER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 68

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 67

Design Flow: 0.0336

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0102172

Facility Name: PENNSAUKEN SANITARY LANDFILL

Billing Address: CAMDEN CNTY POLLUTION CONTROL
FINANCING
9600 RIVER RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 12291.42 = (7080.0000 * 0.7615) + 6900.00

Facility Location: 9600 RIVER RD
PENNSAUKEN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined

Pollution Potential Factor: 177

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 157

Tons of Solid Waste Deposited: 62387.810 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0085472

Facility Name: RUNYON WATER TREATMENT PLANT

Billing Address: PERTH AMBOY CITY HALL
260 HIGH ST
PERTH AMBOY, NJ 08861

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 2 OLD WATER WORKS RD
OLD BRIDGE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0075159

Facility Name: HILLARD BLOOM PACKING CO INC

Billing Address: HILLARD BLOOM PACKING CO INC
2601 OGDEN AVE
PORT NORRIS, NJ 08349

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 2601 OGDEN AVE
PORT NORRIS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0069698

Facility Name: PHILLIPSBURG MARBLE CO

Billing Address: PHILLIPSBURG MARBLE CO
PO BOX 172 - 1 MARBLE HILL RD
PHILLIPSBURG, NJ 088650172

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 1355 RIVER RD
PHILLIPSBURG

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0102211
Facility Name: WARREN CNTY DIST LANDFILL

Billing Address: POLLUTION CONTROL FINANCING AUTH
PO BOX 587
OXFORD, NJ 07863

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 13601.20 = (8800.0000 * 0.7615) + 6900.00

Facility Location: 500 MT PISGAH AVE
OXFORD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined
Pollution Potential Factor: 220

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 200

Tons of Solid Waste Deposited: 79421.050 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0089711

Facility Name: SUEZ WATER PRINCETON MEADOWS

Billing Address: SUEZ WATER PRINCETON MEADOWS
PO BOX 336
PLAINSBORO, NJ 08536

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 17987.62 = (20010.000 * 0.7615) + 2750.00

Facility Location: 31 MAPLE AVE
PLAINSBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 2001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 2000

Design Flow: 1.5000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101338

Facility Name: MACK-CALI HOLMDEL WTP

Billing Address: MACK CALI HOLMDEL LLC
210 HUDSON ST - HARBORSIDE 3 - STE 400
JERSEY CITY, NJ 07311

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4292.04 = (2025.0000 * 0.7615) + 2750.00

Facility Location: 23 MAIN ST
HOLMDEL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 81

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 80

Design Flow: 0.0400

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0074977

Facility Name: KEEM RAJ LLC D/B/A EXPRESS INN

Billing Address: KEEM RAJ LLC - D/B/A EXPRESS INN
5309 RT 33 & 34
WALL, NJ 07727

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2997.49 = (325.0000 * 0.7615) + 2750.00

Facility Location: 5309 RT 33 & 34
WALL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 13

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 12

Design Flow: 0.0059

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0107107

Facility Name: CHEMTRADE SOLUTIONS LLC

Billing Address: CHEMTRADE SOLUTIONS LLC
235 SNYDER AVE
BERKELEY HEIGHTS, NJ 07922

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 235 SNYDER AVE
BERKELEY HEIGHTS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0005240

Facility Name: BRIDGEPORT DISPOSAL LLC

Billing Address: BRIDGEPORT DISPOSAL LLC
PO BOX 337
BRIDGEPORT, NJ 080140337

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 2858 RT 322
BRIDGEPORT

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051322

Facility Name: LINDLEY COOK 4-H CAMP

Billing Address: LINDLEY COOK 4H CAMP
100-A STRUBLE RD
BRANCHVILLE, NJ 078265076

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3130.75 = (500.0000 * 0.7615) + 2750.00

Facility Location: 100A STRUBLE RD
SANDYSTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 20

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 19

Design Flow: 0.0096

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0023132

Facility Name: ST PAUL'S ABBEY STP

Billing Address: ST PAULS ABBEY BENEDICTINE
MISSIONARIES
PO BOX 7

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3530.54 = (1025.0000 * 0.7615) + 2750.00

Facility Location: 291 RT 206
ANDOVER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 40

Design Flow: 0.0200

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0102113
Facility Name: SALEM CNTY SOLID WASTE COMPLEX

Billing Address: SALEM CNTY IMPROVEMENT AUTH
PO BOX 890 - 52 MCKILLIP RD
ALLOWAY, NJ 08001

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 14179.94 = (9560.0000 * 0.7615) + 6900.00

Facility Location: 52 MCKILLIP RD
ALLOWAY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined
Pollution Potential Factor: 239

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 219

Tons of Solid Waste Deposited: 87267.830 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0068756
Facility Name: F&S PRODUCE

Billing Address: F&S PRODUCE CO INC
BOX 17
ROSENHAYN, NJ 08352

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 913 BRIDGETON AVE
DEERFIELD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0051055

Facility Name: F&S PRODUCE PLANT 2

Billing Address: F&S PRODUCE CO INC
PO BOX 489
DEERFIELD TWP, NJ 08352

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 730 LEBANON RD
DEERFIELD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0068331

Facility Name: SANDY POINT MOBILE HOME PARK

Billing Address: SANDY POINT PARK & MARINA LLC
37 WILD WAY
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3054.60 = (400.0000 * 0.7615) + 2750.00

Facility Location: 5 WILD WAY
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 15

Design Flow: 0.0075

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087602

Facility Name: SEABROOK BROTHERS & SONS

Billing Address: SEABROOK BROTHERS & SONS INC
PO BOX 5103 - 85 FINLEY RD
SEABROOK, NJ 08302

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 85 FINLEY RD
SEABROOK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0064921

Facility Name: CPI OPERATIONS LLC

Billing Address: CPI OPERATIONS LLC
4 PARADISE RD
WEST DEPTFORD TWP, NJ 08066

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 4 PARADISE RD
PAULSBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0077488
Facility Name: SEWAREN TERMINAL

Billing Address: SEWAREN TERMINAL CORP
111 STATE ST
SEWAREN, NJ 07077

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 111 STATE ST
SEWAREN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101389
Facility Name: SIKA CORP

Billing Address: SIKA CORP
201 POLITO AVE
LYNDHURST, NJ 07071

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 201 POLITO AVE
LYNDHURST

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0163945
Facility Name: SPARTAN VILLAGE INC

Billing Address: AQUA NJ INC
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3922.71 = (1540.0000 * 0.7615) + 2750.00

Facility Location: 511 WRIGHTSTOWN-SYKESVILLE RD
WRIGHTSTOWN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 77

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 76

Design Flow: 0.0380

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0074004
Facility Name: WILMAD GLASS CO

Billing Address: SP INDUSTRIES INC
935 MEARNES RD
WARMINSTER, PA 18974

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 900.00 = (0.0000 * 0.0000) + 900.00

Facility Location: RT 40 & OAK RD
BUENA VISTA TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0

Pollution Potential Factor: 0

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 0

Pollution Loading Factor: 0

Design Flow: 0.0000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0052281
Facility Name: SPRUCE HILLS

Billing Address: SPRUCE HILLS CONDO ASSOC INC
100 SPRUCE HILLS DR
GLEN GARDNER, NJ 08826

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4977.39 = (2925.0000 * 0.7615) + 2750.00

Facility Location: RT 31 & GLEN MANOR DR
GLEN GARDNER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 117

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 116

Design Flow: 0.0580

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065625

Facility Name: TALL PINES DAY CAMP

Billing Address: TALL PINES DAY CAMP INC
1349 SYKESVILLE RD
WILLIAMSTOWN, NJ 08094

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3149.79 = (525.0000 * 0.7615) + 2750.00

Facility Location: SYKESVILLE RD
MONROE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 21

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 20

Design Flow: 0.0100

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0074802

Facility Name: STANTON RIDGE SEWER PLANT

Billing Address: AQUA NJ
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5091.61 = (3075.0000 * 0.7615) + 2750.00

Facility Location: RT 523
READINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 123

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 122

Design Flow: 0.0610

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0111201
Facility Name: STAVOLA CONSTRUCTION MATERIALS

Billing Address: STAVOLA CONSTRUCTION MATERIALS INC
PO BOX 482
RED BANK, NJ 07701

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: CHIMNEY ROCK RD & THOMPSON AVE
BOUND BROOK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0001589

Facility Name: STONE INDUSTRIES INC

Billing Address: STONE INDUSTRIES INC
400 CENTRAL AVE
HALEDON, NJ 07538

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 400-402 CENTRAL AVE
HALEDON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0067806

Facility Name: CARRIAGE MOBILE HOMES INC

Billing Address: CARRIAGE MOBILE HOMES INC
1 TESS DR
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2940.38 = (250.0000 * 0.7615) + 2750.00

Facility Location: RT 94
LAFAYETTE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 9

Design Flow: 0.0044

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0145688

Facility Name: SUSSEX CNTY MUA UPPER WALLKILL FACILITY

Billing Address: SUSSEX CNTY MUA
34 RT 56
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 10837.13 = (10620.000 * 0.7615) + 2750.00

Facility Location: 3500 RT 94
HARDYSTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 531

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 530

Design Flow: 0.2650

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0107689
Facility Name: SUSSEX CNTY MUA SOLID WASTE FACILITY

Billing Address: SUSSEX CNTY MUA
34 RT 56
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 13250.91 = (8340.0000 * 0.7615) + 6900.00

Facility Location: 34 S RT 94
LAFAYETTE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 30 Landfills, completely lined
Pollution Potential Factor: 278

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 258

Tons of Solid Waste Deposited: 102696.64 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0065544
Facility Name: MARCACCI MEATS

Billing Address: PASHA HALAL POULTRY D/B/A MARACCI
MEATS
1853 VINE RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 1853 VINE RD
VINELAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0055956
Facility Name: OLDWICK VILLAGE WATER POLLUTION

Billing Address: TEWKSBURY TWP
169 OLD TURNPIKE RD
CALIFON, NJ 07830

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5156.34 = (3160.0000 * 0.7615) + 2750.00

Facility Location: CHURCH ST VILLAGE OF OLDWICK
OLDWICK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 158

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 157

Design Flow: 0.0783

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102008

Facility Name: TRAP ROCK INDUSTRIES LLC

Billing Address: TRAP ROCK INDUSTRIES LLC
PO BOX 419
KINGSTON, NJ 08528

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 816 RT 27
KINGSTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102024

Facility Name: TRAP ROCK INDUSTRIES LLC

Billing Address: TRAP ROCK INDUSTRIES
PO BOX 419
KINGSTON, NJ 08528

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: ROUTE 31
PENNINGTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0103179

Facility Name: TRENTON SEWER UTILITY

Billing Address: TRENTON CITY SEWER UTILITY
1502 LAMBERTON RD
TRENTON CITY, NJ 08604

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 1502 LAMBERTON RD
TRENTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0089362

Facility Name: COVIA HOLDINGS CORPORATION - DIVIDING

Billing Address: COVIA HOLDINGS CORP
121 ST ANDREWS CT
MANKATO, MN 56001

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 1100 WHITEHEAD RD
DIVIDING CREEK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0090344

Facility Name: SOUTH WIND VILLAGE/UNITED MHP

Billing Address: UMH PROPERTIES INC
3499 RT 9 N - STE 3C
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4482.41 = (2275.0000 * 0.7615) + 2750.00

Facility Location: 435 E VETERANS HWY
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 91

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 90

Design Flow: 0.0450

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0074284

Facility Name: USDOD JOINT BASE MCGUIRE DIX LAKEHURST

Billing Address: USDOD MCGUIRE AFB 87TH AIR BASE WING
ABW
2404 VANDENBERG AVE - 87 CES/SEIEA

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 48455.23 = (60020.000 * 0.7615) + 2750.00

Facility Location: 129 SUNRISE RD
JB MDL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 3001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 3000

Design Flow: 4.6000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081931

Facility Name: MUELLER PROPERTY HOLDINGS LLC

Billing Address: MUELLER PROPERTY HOLDINGS LLC
1101 E PEARL ST
BURLINGTON CITY, NJ 080161999

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 1101 EAST PEARL ST
BURLINGTON CITY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0098914

Facility Name: AUNT KITTY'S FOODS INC

Billing Address: AUNT KITTY'S FOODS INC
270 N MILL RD
VINELAND, NJ 08360

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: 270 N MILL RD
VINELAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0032328
Facility Name: VIANINI PIPE INC

Billing Address: VIANINI PIPE INC
PO BOX 678
SOMERVILLE, NJ 08876

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 81 COUNTY LINE RD
SOMERVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102016

Facility Name: HOWARD M DOWN GENERATING STATION

Billing Address: VINELAND CITY MUNICIPAL ELECTRIC
UTILITY
PO BOX 1508

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 211 N WEST AVE
VINELAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101818

Facility Name: WARREN STAGE IV STP

Billing Address: WARREN TWP SEWERAGE AUTH
46 MOUNTAIN BLVD
WARREN, NJ 07059

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 14941.62 = (16010.000 * 0.7615) + 2750.00

Facility Location: 299 KING GEORGE RD
WARREN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 1601

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 1600

Design Flow: 0.8000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102474

Facility Name: WARREN STAGE V STP

Billing Address: WARREN TWP SEWERAGE AUTH
46 MOUNTAIN BLVD
WARREN, NJ 07059

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3329.50 = (761.0000 * 0.7615) + 2750.00

Facility Location: LIBERTY CORNER RD
WARREN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 761

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 760

Design Flow: 0.3800

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0103322

Facility Name: FANWOOD CRUSHED STONE CO

Billing Address: WELDON ASPHALT CO
141 CENTRAL AVE
WESTFIELD, NJ 07090

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3511.50 = (1000.0000 * 0.7615) + 2750.00

Facility Location: NEW PROVIDENCE RD
WATCHUNG

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0099520

Facility Name: KESSLER INS FOR REHAB WELKIND FACILITY

Billing Address: KESSLER INSTITUTE FOR REHAB WELKIND
FAC
201 PLEASANT HILL RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3283.05 = (700.0000 * 0.7615) + 2750.00

Facility Location: 201 PLEASANT HILL RD
CHESTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 35

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 34

Design Flow: 0.0170

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0056618

Facility Name: WILLIAMSBURG AT WEST MILFORD

Billing Address: BOULDER POND LLC - MARIA WINTER
13 OLD ARMY POST RD
MORRISTOWN, NJ 07960

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5624.66 = (3775.0000 * 0.7615) + 2750.00

Facility Location: PETER RD/RIDGE RD
WEST MILFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 151

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 150

Design Flow: 0.0750

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0061760
Facility Name: WINSLOW TWP WTP

Billing Address: CAMDEN CNTY MUA
1645 FERRY AVE
CAMDEN, NJ 08104

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 40844.04 = (50025.000 * 0.7615) + 2750.00

Facility Location: MALAGA-NEW BROOKLYN RD &
WINSLOW

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 2001

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 2000
Design Flow: 2.2500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0068811

Facility Name: MENDHAM WEST WWTP

Billing Address: MENDHAM TWP
PO BOX 520
BROOKSIDE, NJ 07926

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4025.51 = (1675.0000 * 0.7615) + 2750.00

Facility Location: 331 PLEASANT VALLEY RD
MENDHAM TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 67

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 66

Design Flow: 0.0332

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0127990

Facility Name: NORTH JERSEY DIST WATER SUPPLY COMM

Billing Address: NORTH JERSEY DIST WATER SUPPLY COMM
1 FRANK A ORECHIO DR
WANAQUE, NJ 07465

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 1 F A ORECHIO DR
WANAQUE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0129020

Facility Name: LOGAN GENERATING PLANT

Billing Address: LOGAN GENERATING CO LP
76 RT 130
SWEDESBORO, NJ 080859300

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 76 RT 130
SWEDESBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0077127
Facility Name: BLUE HERON PLAZA

Billing Address: DTH 15 LLC
PO BOX 1263
WEST CALDWELL, NJ 07007

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3557.19 = (1060.0000 * 0.7615) + 2750.00

Facility Location: 86 BLUE HERON RD
SPARTA

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 53

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 52

Design Flow: 0.0260

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0077461

Facility Name: DURAND GLASS MANUFACTURING CO

Billing Address: DURAND GLASS MFG CO
901 S WADE BLVD
MILLVILLE, NJ 08332

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 901 S WADE BLVD
MILLVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0077585
Facility Name: NJ 1881 RT 46 LLC

Billing Address: NJ 1881 ROUTE 46 LLC
5901 W SIDE AVE
NORTH BERGEN, NJ 07047

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3115.52 = (480.0000 * 0.7615) + 2750.00

Facility Location: 1881 RT 46
ROXBURY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 24

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 23

Design Flow: 0.0115

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0078204

Facility Name: SANDY ALEXANDER INC

Billing Address: SANDY ALEXANDER INC
200 ENTIN RD
CLIFTON, NJ 07014

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 200 ENTIN RD
CLIFTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0078565

Facility Name: BD OAKLAND OWNER LLC

Billing Address: 111 BAUER DRIVE LLC
550 HILL DR
BEDMINSTER, NJ 07921

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3092.68 = (450.0000 * 0.7615) + 2750.00

Facility Location: 111 BAUER DR
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 18

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 17

Design Flow: 0.0085

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0080055

Facility Name: NJ AMERICAN WATER CO - DEEP RUN WWTP

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3557.19 = (1060.0000 * 0.7615) + 2750.00

Facility Location: 18 ROYAL OAK DR
PLUMSTED TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 53

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 52

Design Flow: 0.0260

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081086

Facility Name: JEFFERSON TWP - WATER'S EDGE

Billing Address: JEFFERSON TWP
1033 WELDON RD
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4912.66 = (2840.0000 * 0.7615) + 2750.00

Facility Location: CHAMBERLAIN RD
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 142

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 141

Design Flow: 0.0707

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081183
Facility Name: CAPE MAY NATIONAL GOLF CLUB

Billing Address: CAPE COUNTRY CLUB INC
PO BOX 2369
CAPE MAY, NJ 08204

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3187.86 = (575.0000 * 0.7615) + 2750.00

Facility Location: US HIGHWAY 9 & FLORENCE AVE
LOWER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 23

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 22

Design Flow: 0.0112

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081914

Facility Name: SUEZ NJ - WEST MILFORD SEWER PLANT

Billing Address: SUEZ WATER WEST OF MILFORD
PO BOX 1190 - 115 BARRY DR N
HIGHLAND LAKES, NJ 07422

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5704.62 = (3880.0000 * 0.7615) + 2750.00

Facility Location: MORSETOWN & RICHMOND RDS
WEST MILFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 194

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 193

Design Flow: 0.0965

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0083038

Facility Name: CABLEVISION OF OAKLAND

Billing Address: WESTMINSTER MGMT LLC
30-A VREELAND RD - STE 220
FLORHAM PARK, NJ 07932

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 900.00 = (0.0000 * 0.0000) + 900.00

Facility Location: 40 POTASH RD
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0

Pollution Potential Factor: 0

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 0

Pollution Loading Factor: 0

Design Flow: 0.0000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0070688

Facility Name: BRISTOL MYERS SQUIBB BLOOMSBURY

Billing Address: QUVA PHARMA INC
1075 W PARK ONE DR - STE 100
SUGAR LAND, TX 77478

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 519 RT 173 W
GREENWICH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 12

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 11

Design Flow: 0.0053

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0083984

Facility Name: BAY COVE RESORT CONDOMINIUM

Billing Address: BAY COVE RESORT CONDOMINIUM ASSOC
INC
PO BOX 397

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3987.44 = (1625.0000 * 0.7615) + 2750.00

Facility Location: 35 RT 47 S
CAPE MAY COURT HOUSE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 65

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 64

Design Flow: 0.0320

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0084018
Facility Name: FAIRTON OAKS

Billing Address: FAIRTON OAKS VILLAGE LLC
95 PRINCETON AVE
BRICK TWP, NJ 08724

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2845.19 = (125.0000 * 0.7615) + 2750.00

Facility Location: CLARKS POND RD
FAIRFIELD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0086797
Facility Name: ARAMIS INC

Billing Address: CK BERGEN ASSOC LLC
30-A VREELAND RD - STE 220
FLORHAM PARK, NJ 07932

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 900.00 = (0.0000 * 0.0000) + 900.00

Facility Location: 5 THORNTON RD
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0

Pollution Potential Factor: 0

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 0

Pollution Loading Factor: 0

Design Flow: 0.0000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087297

Facility Name: BRUNSWICK COUNTRY LANES

Billing Address: KNOB HILL BOWLING LLC
363 RT 33
MANALAPAN, NJ 07726

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2845.19 = (125.0000 * 0.7615) + 2750.00

Facility Location: 363 RT 33
MANALAPAN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087335

Facility Name: ROLLING HILLS OF HUNTERDON CARE CENTER

Billing Address: ROLLING HILLS OPERATIONS LLC
16 CRATETOWN RD
CLINTON, NJ 08833

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3283.05 = (700.0000 * 0.7615) + 2750.00

Facility Location: 16 CRATETOWN RD
CLINTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 28

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 27

Design Flow: 0.0135

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087343

Facility Name: HAMILTON FARM GOLF CLUB & EQUESTRIAN

Billing Address: HAMILTON FARM GOLF CLUB LLC
1040 POTTERSVILLE RD
GLADSTONE, NJ 07934

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3016.53 = (350.0000 * 0.7615) + 2750.00

Facility Location: 1040 POTTERSVILLE RD
BEDMINSTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 14

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 13

Design Flow: 0.0067

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087378

Facility Name: US GOLF ASSOCIATION

Billing Address: US GOLF ASSOCIATION
PO BOX 708
FAR HILLS, NJ 079310708

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 77 LIBERTY CORNER RD
BERNARDS TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 12

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 11

Design Flow: 0.0055

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087530

Facility Name: WEST MILFORD SHOPPING PLAZA

Billing Address: WEST MILFORD SHOPPING PLAZA
1 INDIAN RD
DENVER, NJ 07834

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3264.01 = (675.0000 * 0.7615) + 2750.00

Facility Location: 1926 UNION VALLEY RD
WEST MILFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 27

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 26

Design Flow: 0.0130

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0087734

Facility Name: LAKE & SHORE CAMPGROUND

Billing Address: MHC LAKE & SHORE LLC
PO BOX 8000
MONSEY, NY 10952

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5129.69 = (3125.0000 * 0.7615) + 2750.00

Facility Location: 515 CORSON TAVERN RD
OCEAN VIEW

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 125

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 124

Design Flow: 0.0619

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0089028

Facility Name: JEFFERSON VILLAGE SQUARE

Billing Address: GOOD KID HOLDING LLC
PO BOX 773
HACKETTSTOWN, NJ 07840

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: RT 15 S & FRANKLIN ST
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0100145

Facility Name: ARAWAK PAVING CO INC

Billing Address: ARAWAK PAVING CO INC
7503 WEYMOUTH RD
HAMMONTON, NJ 08037

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 7503 WEYMOUTH RD
HAMILTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0100501
Facility Name: PRINCETON MONTESSORI SCHOOL WWTP

Billing Address: PRINCETON MONTESSORI SCHOOL
487 CHERRY VALLEY RD
PRINCETON, NJ 08540

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 487 CHERRY VALLEY RD
MONTGOMERY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0100781
Facility Name: PLEASANT ACRES FARM CAMPGROUND

Billing Address: PLEASANT ACRES FARM RV LLC
61 DEWITT RD
SUSSEX, NJ 074610000

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7538.23 = (2020.0000 * 0.7615) + 6000.00

Facility Location: 61 DEWITT RD
WANTAGE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 101

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 100

Design Flow: 0.0500

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0100927

Facility Name: STONE HARBOR GOLF CLUB

Billing Address: FHM PROPERTIES LLC
PO BOX 836 - 905 RT 9
CAPE MAY COURT HOUSE, NJ 08210

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2940.38 = (250.0000 * 0.7615) + 2750.00

Facility Location: 905 RT 9 N
CAPE MAY COURT HOUSE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 9

Design Flow: 0.0043

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0101028

Facility Name: PENNYTOWN WWTP

Billing Address: HOPEWELL TWP
201 WASHINGTON CROSSING PENNINGTON RD
TITUSVILLE, NJ 08560

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3191.67 = (580.0000 * 0.7615) + 2750.00

Facility Location: 145 RT 31 N
HOPEWELL TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 29

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 28

Design Flow: 0.0142

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0102920

Facility Name: FOREST MANOR HEALTH CARE CTR

Billing Address: FOREST MANOR HEALTH CARE CTR
PO BOX 283 - STATE PARK RD
HOPE, NJ 07844

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3149.79 = (525.0000 * 0.7615) + 2750.00

Facility Location: 145 STATE PARK RD
FRELINGHUYSEN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 21

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 20

Design Flow: 0.0100

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0103748
Facility Name: SKYLANDS PARK

Billing Address: SKYLANDS STADIUM LLC
94 CHAMPIONSHIP PL
FRANKFORD TWP, NJ 07822

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 94 CHAMPIONSHIP PL
FRANKFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104051
Facility Name: LOGAN TWP DISPOSAL AREA

Billing Address: WEEKS MARINE INC
901 BEACH ST
CAMDEN, NJ 08102

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: FLOODGATE RD
LOGAN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104396
Facility Name: CROSSROADS @ OLDWICK

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3450.58 = (920.0000 * 0.7615) + 2750.00

Facility Location: RT 523 (OLDWICK RD)
TEWKSBURY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 46

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 45

Design Flow: 0.0225

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0104655

Facility Name: ACME

Billing Address: ALBERTSONS COMPANIES INC
250 PARK CENTER BLVD
BOISE, ID 83706

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3111.71 = (475.0000 * 0.7615) + 2750.00

Facility Location: RT 94 & BUCHANAN RD
BLAIRSTOWN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 19

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 18

Design Flow: 0.0090

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105031
Facility Name: NATIONAL AUTO DEALERS EXCHANGE

Billing Address: NATIONAL AUTO DEALERS EXCHANGE
PO BOX 188
BORDENTOWN, NJ 085050188

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3073.64 = (425.0000 * 0.7615) + 2750.00

Facility Location: 730 RT 68 NORTH
MANSFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 17

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 16

Design Flow: 0.0081

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105228
Facility Name: BEACON HILL WTF

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6709.80 = (5200.0000 * 0.7615) + 2750.00

Facility Location: ELLISDALE RD
UPPER FREEHOLD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 208

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 207

Design Flow: 0.1037

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105392
Facility Name: THREE PUTT LLC

Billing Address: THREE PUTT LLC
228 OLD YORK RD
CHESTERFIELD, NJ 08515

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3168.83 = (550.0000 * 0.7615) + 2750.00

Facility Location: 228 OLD YORK RD
CHESTERFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 22

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 21

Design Flow: 0.0105

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105562

Facility Name: ROYCE BROOK GOLF CLUB LLC

Billing Address: ROYCE BROOK GOLF LLC
201 HAMILTON RD
HILLSBOROUGH, NJ 08844

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2997.49 = (325.0000 * 0.7615) + 2750.00

Facility Location: 201 HAMILTON RD
HILLSBOROUGH

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 13

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 12

Design Flow: 0.0059

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0167126

Facility Name: ROBERT MICHAEL SHOPPING CTR

Billing Address: ROBERT MICHAEL SHOPPING CTR
PO BOX 600 - 8 FORESTER AVE
WARWICK, NY 109900600

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2963.22 = (280.0000 * 0.7615) + 2750.00

Facility Location: RAMAPO VALLEY RD
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 14

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 13

Design Flow: 0.0064

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0105759

Facility Name: DUE PROCESS GOLF & HORSE STABLES LLC

Billing Address: DUE PROCESS GOLF & HORSE STABLES LLC
392 RT 537
COLTS NECK, NJ 07722

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3016.53 = (350.0000 * 0.7615) + 2750.00

Facility Location: 392 RT 537
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 14

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 13

Design Flow: 0.0065

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0106780
Facility Name: VIKING YACHT CO

Billing Address: VIKING YACHT CO
PO BOX 308
NEW GRETN, NJ 08224

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 5738 RTE 9
NEW GRETN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0108120
Facility Name: MANSFIELD FARMS

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 15105.34 = (16225.000 * 0.7615) + 2750.00

Facility Location: RT. 68
MANSFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 649

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 648

Design Flow: 0.3240

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0108243

Facility Name: PATHMARK SUPERMARKET

Billing Address: 757 ROUTE 15 REALTY LLC
PO BOX 210 - 5 COLD HILL RD S - STE 1
MENDHAM, NJ 07945

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3069.83 = (420.0000 * 0.7615) + 2750.00

Facility Location: 757 RT 15 & BOWLING GREEN PKWY
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 21

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 20

Design Flow: 0.0100

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0108294

Facility Name: HUNTERDON COMMONS

Billing Address: HUNTERDON COMMONS
PO BOX 326
MARTINSVILLE, NJ 08836

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 176 HWY 202
RARITAN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 4

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 3

Design Flow: 0.0013

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0108928
Facility Name: COUNTRY OAKS

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4691.83 = (2550.0000 * 0.7615) + 2750.00

Facility Location: GOLD MINE RD
MOUNT OLIVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 102

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 101

Design Flow: 0.0504

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0108936

Facility Name: JACKSON PREMIUM OUTLETS

Billing Address: JACKSON PREMIUM OUTLETS
MONMOUTH RD - STE 168A
JACKSON TWP, NJ 08527

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3949.36 = (1575.0000 * 0.7615) + 2750.00

Facility Location: RT 537 MONMOUTH RD
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 63

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 62

Design Flow: 0.0312

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109029

Facility Name: G&F REALTY OF RICHMOND

Billing Address: G&F REALTY OF RICHMOND
150 RT 35
KEYPORT, NJ 07735

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2959.41 = (275.0000 * 0.7615) + 2750.00

Facility Location: 340 RT 34
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 11

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 10

Design Flow: 0.0052

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109193
Facility Name: METEDECONK NATIONAL GOLF CLUB INC

Billing Address: METEDECONK NATIONAL GOLF CLUB INC
50 HANNAH HILL RD
JACKSON, NJ 08527

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3054.60 = (400.0000 * 0.7615) + 2750.00

Facility Location: 50 HANNAH HILL RD
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 15

Design Flow: 0.0075

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109576
Facility Name: BEAR BROOK GOLF VILLAGE

Billing Address: AQUA NJ INC
10 BLACK FOREST RD
HAMILTON, NJ 08691

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3831.33 = (1420.0000 * 0.7615) + 2750.00

Facility Location: 23 PLAYERS BLVD & RT 94
FREDON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 71

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 70

Design Flow: 0.0348

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0109886

Facility Name: GALLOWAY NATIONAL GOLF COURSE

Billing Address: GALLOWAY NATIONAL GOLF CLUB
270 S NEW YORK RD - RT 9
GALLOWAY TWP, NJ 08205

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2997.49 = (325.0000 * 0.7615) + 2750.00

Facility Location: 270 NEW YORK RD
GALLOWAY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 13

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 12

Design Flow: 0.0062

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137448

Facility Name: HERMANS TRUCKING INC

Billing Address: HERMANS TRUCKING INC
181 JACOBSTOWN COOKSTOWN RD
WRIGHTSTOWN, NJ 08562

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 181 JACOBSTOWN COOKSTOWN RD
WRIGHTSTOWN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0115487

Facility Name: MAZZA RECYCLING SERVICES LTD

Billing Address: MAZZA RECYCLING SERVICES LLC
3230-A SHAFTO RD
TINTON FALLS, NJ 07753

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 3230 SHAFTO RD
TINTON FALLS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0116165

Facility Name: FREEHOLD CARTAGE INC

Billing Address: FREEHOLD CARTAGE INC
PO BOX 5010
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 825 RT 33
FREEHOLD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0162370
Facility Name: ALLENTOWN INC

Billing Address: ALLENTOWN INC
165 RT 526
ALLENTOWN, NJ 08501

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2993.68 = (320.0000 * 0.7615) + 2750.00

Facility Location: 165 RT 526
ALLENTOWN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 15

Design Flow: 0.0074

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0120481

Facility Name: SHAPES LLC/DELAIR LLC

Billing Address: SHAPES LLC - DELAIR LLC
9000 RIVER RD - 8600 RIVER RD
DELAIR, NJ 08110

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 9000 RIVER RD
DELAIR

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0127795
Facility Name: THOMPSON COUNTY PARK

Billing Address: MIDDLESEX CNTY DEPT OF ENGINEERING
333 TOWNSEND ST
NEW BRUNSWICK, NJ 08903

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: DREDGE SPOILS DISPOSAL AREAS A & B
MONROE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0127876

Facility Name: FAR HILLS COUNTRY DAY SCHOOL

Billing Address: FAR HILLS COUNTRY DAY SCHOOL
PO BOX 8 - RT 202
FAR HILLS, NJ 07931

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3024.14 = (360.0000 * 0.7615) + 2750.00

Facility Location: RT 202
FAR HILLS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 18

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 17

Design Flow: 0.0087

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128121
Facility Name: CANOE BROOK STATION

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5034.50 = (3000.0000 * 0.7615) + 2750.00

Facility Location: 167 JFK PKWY
SHORT HILLS

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined
Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128848

Facility Name: WYNDHAM POINTE WWTP

Billing Address: MOUNT OLIVE TWP
204 FLANDERS DRAKESTOWN RD
BUDD LAKE, NJ 07828

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3911.29 = (1525.0000 * 0.7615) + 2750.00

Facility Location: 6 FERNWOOD CT (REAR)
MOUNT OLIVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 61

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 60

Design Flow: 0.0300

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128872

Facility Name: 95 WEST MAIN STREET

Billing Address: 95 MAIN STREET LLC
65 PLEASANT HILL RD
CHESTER, NJ 07930

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2864.23 = (150.0000 * 0.7615) + 2750.00

Facility Location: 95 WEST MAIN ST
CHESTER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 5

Design Flow: 0.0025

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0128911
Facility Name: MEL CHEMICALS INC

Billing Address: MEL CHEMICALS INC
500 BARBERTOWN POINT BREEZE RD
FLEMINGTON, NJ 08822

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 500 BARBERTOWN POINT BREEZE RD
FLEMINGTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0132225
Facility Name: PINE BARRENS GOLF CLUB

Billing Address: PINE BARRENS GOLF CLUB LLC
540 S HOPE CHAPEL RD
JACKSON, NJ 08527

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2997.49 = (325.0000 * 0.7615) + 2750.00

Facility Location: 540 S HOPE CHAPEL RD
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 13

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 12

Design Flow: 0.0061

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0132462
Facility Name: SUSSEX TURNPIKE CONDOMINIUM ASSOC

Billing Address: SUSSEX TURNPIKE CONDOMINIUM ASSOC
101 E MAIN ST
LITTLE FALLS, NJ 07424

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3374.43 = (820.0000 * 0.7615) + 2750.00

Facility Location: 1578 SUSSEX TNPK
RANDOLPH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 40

Design Flow: 0.0199

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0135542

Facility Name: THE HORIZONS AT FRANKLIN LAKES WTP

Billing Address: MORGAN PROPERTIES
160 CLUBHOUSE RD
KING OF PRUSSIA, PA 19406

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3473.43 = (950.0000 * 0.7615) + 2750.00

Facility Location: FRANKLIN AVE
FRANKLIN LAKES

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 38

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 37

Design Flow: 0.0184

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0133353

Facility Name: CHARLESTON SPRINGS GOLF COURSE

Billing Address: MONMOUTH CNTY PARKS SYSTEM
805 NEWMAN SPRINGS RD
LINCROFT, NJ 07738

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: RT 527 & SWEETMANS LN
MILLSTONE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 12

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 11

Design Flow: 0.0053

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0133451

Facility Name: BRANDYWINE ASSISTED LIVING AT COLTS

Billing Address: BRANDYWINE ASSISTED LIVING @ COLTS
NECK
3 MERIDIAN CIR

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3035.56 = (375.0000 * 0.7615) + 2750.00

Facility Location: RT 34 & LELAND RD
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 15

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 14

Design Flow: 0.0072

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0133558
Facility Name: SUNRISE @ JEFFERSON LLC

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7528.41 = (6275.0000 * 0.7615) + 2750.00

Facility Location: EDISON & ESPANONG RDS
JEFFERSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 251

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 250

Design Flow: 0.1251

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0133698

Facility Name: CRYSTAL SPRINGS WILDERNESS LODGES & RV

Billing Address: CRYSTAL SPRINGS WILDERNESS LODGES &
RV R
724 MONMOUTH RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3778.03 = (1350.0000 * 0.7615) + 2750.00

Facility Location: 724 MONMOUTH RD
CREAM RIDGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 54

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 53

Design Flow: 0.0267

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0133710

Facility Name: FROGBRIDGE DAY CAMP

Billing Address: FROGBRIDGE INC
7 YELLOW MEETING HOUSE RD
MILLSTONE, NJ 08510

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3378.24 = (825.0000 * 0.7615) + 2750.00

Facility Location: 7 YELLOW MEETING HOUSE RD
CREAM RIDGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 33

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 32

Design Flow: 0.0160

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134058
Facility Name: THE STREETS OF CHESTER

Billing Address: LINCOLN PROPERTY CO
9 ENTIN RD
PARSIPPANY, NJ 07504

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3187.86 = (575.0000 * 0.7615) + 2750.00

Facility Location: 128 RT 206 S
CHESTER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 23

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 22

Design Flow: 0.0110

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134210

Facility Name: WALDORF SCH OF PRINCETON

Billing Address: WALDORF SCHOOL OF PRINCETON
1062 CHERRY HILL RD
PRINCETON, NJ 08540

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 1062 CHERRY HILL RD
MONTGOMERY TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134261

Facility Name: LACEY NATURAL SAND LLC

Billing Address: LACEY NATURAL SAND
1467 W BAY AVE
BARNEGAT, NJ 08005

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 2006 LACEY RD
LACEY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 10 Pass-through wastewater to DSW or POTW, unlined and/or partially lined

Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134627
Facility Name: A M BEST CO INC

Billing Address: AM BEST CO INC
1 AMBEST RD
OLDWICK, NJ 08858

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2921.34 = (225.0000 * 0.7615) + 2750.00

Facility Location: 1 A M BEST RD
OLDWICK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 8

Design Flow: 0.0038

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134864

Facility Name: KNOWLTON WWTP

Billing Address: APPLIED WASTEWATER MANAGEMENT INC
2 CLERICO LN
HILLSBOROUGH, NJ 08844

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8099.54 = (7025.0000 * 0.7615) + 2750.00

Facility Location: SIMPSON RD RT 657
KNOWLTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 281

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 280

Design Flow: 0.1400

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0135160
Facility Name: MARTIN PROPERTY

Billing Address: NORTHWEST ENVIRONMENTAL
MAINTENANCE SECU
PO BOX 158 - 15 RT 206

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3530.54 = (1025.0000 * 0.7615) + 2750.00

Facility Location: 25 RT 206
HAMPTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 40

Design Flow: 0.0198

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0136093
Facility Name: CHESTER BREEDING STATION

Billing Address: SEEING EYE INC
PO BOX 375
MORRISTOWN, NJ 07963

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2807.11 = (75.0000 * 0.7615) + 2750.00

Facility Location: ROGER RD & RT 206 NORTH
CHESTER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 3

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 2

Design Flow: 0.0010

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0136212

Facility Name: KRAMER ELECTRONIC HOLDINGS LLC

Billing Address: KRAMER ELECTRONIC HOLDINGS LLC
6 RT 173
CLINTON, NJ 08809

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 6 RT 173
UNION TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 4

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 3

Design Flow: 0.0015

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0135976
Facility Name: MIDDLESEX CNTY LANDFILL (PHASE II

Billing Address: MIDDLESEX CNTY UTILITIES AUTH
PO BOX 159 - 2571 MAIN ST
SAYREVILLE, NJ 08872

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 48660.66 = (54840.000 * 0.7615) + 6900.00

Facility Location: 53 EDGEBORO RD
EAST BRUNSWICK TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 40 Landfills, unlined and/or partially lined

Pollution Potential Factor: 1371

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills

Pollution Loading Factor: 1351

Tons of Solid Waste Deposited: 540066.00 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0132284

Facility Name: SKYLANDS ICE WORLD

Billing Address: SKYLANDS ICE WORLD
PO BOX 710 - 2765 RT 23
STOCKHOLM, NJ 07460

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3092.68 = (450.0000 * 0.7615) + 2750.00

Facility Location: 2765 RT 23
STOCKHOLM

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 18

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 17

Design Flow: 0.0085

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0136336
Facility Name: HAWK POINTE GOLF COMMUNITY

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5262.95 = (3300.0000 * 0.7615) + 2750.00

Facility Location: RT 31 NORTH
WASHINGTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 165

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 164

Design Flow: 0.0820

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0136441

Facility Name: CAMDEN GRANCEM FACILITY

Billing Address: ESSROC CEMENT CORP
595 CAMDEN BLVD
CAMDEN, NJ 08104

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 595 MORGAN BLVD
CAMDEN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0136573

Facility Name: HOLMES CORNER SHOPPING CENTER

Billing Address: MAGIC PETROLEUM CORP
381 MONMOUTH RD
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2826.15 = (100.0000 * 0.7615) + 2750.00

Facility Location: 504 MONMOUTH RD
CLARKSBURG

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 4

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 0

Pollution Loading Factor: 4

Design Flow: 0.0020

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0165221

Facility Name: DELAWARE WATER GAP NRA/NATIONAL PK

Billing Address: US DEPT OF INTERIOR NATIONAL PARK
SERVIC
1 RIVER RD - DELAWARE WATER GAP NRA

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2932.76 = (240.0000 * 0.7615) + 2750.00

Facility Location: OLD MINE RD
HARDWICK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 12

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 11

Design Flow: 0.0054

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081205

Facility Name: TRAP ROCK INDUSTRIES LLC

Billing Address: TRAP ROCK INDUSTRIES LLC
PO BOX 419
KINGSTON, NJ 08528

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2947.99 = (260.0000 * 0.7615) + 2750.00

Facility Location: 130 LAUREL AVE
FRANKLIN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 13

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 12

Design Flow: 0.0062

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137031

Facility Name: CLOVE HILL MANOR WTF

Billing Address: CLOVE HILL MANOR
1655 VALLEY RD - STE 300
WAYNE, NJ 07470

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3374.43 = (820.0000 * 0.7615) + 2750.00

Facility Location: RT 23
WANTAGE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 40

Design Flow: 0.0199

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137201

Facility Name: COLTS NECK GOLF CLUB

Billing Address: COLTS NECK GOLF CLUB
50 FLOCK RD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 50 FLOCK RD
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 9

Design Flow: 0.0045

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137847

Facility Name: OSPREY POINT RESIDENTIAL COMMUNITY

Billing Address: MAR LLC
PO BOX 508
OCEAN CITY, NJ 08226

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3739.95 = (1300.0000 * 0.7615) + 2750.00

Facility Location: 1731 RT 9 SOUTH
MARMORA

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 52

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 51

Design Flow: 0.0253

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137804

Facility Name: MCDONALD'S RESTAURANT

Billing Address: J&K QUALITY RESTAURANTS LLC
1 SHEILA DR
TINTON FALLS, NJ 07724

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2917.53 = (220.0000 * 0.7615) + 2750.00

Facility Location: 542 MONMOUTH RD
MILLSTONE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 11

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 10

Design Flow: 0.0052

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0137987
Facility Name: SANTA SWEETS

Billing Address: SANTA SWEETS INC AGMART PRODUCE
20 DUFFIELD AVE
CEDARVILLE, NJ 08311

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7509.38 = (6250.0000 * 0.7615) + 2750.00

Facility Location: FACTORY RD
CEDARVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0138592

Facility Name: CHRISTY BARTLES WASTEWATER FACILITIES

Billing Address: TEWKSBURY TWP
169 OLD TURNPIKE RD
CALIFON, NJ 07830

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3069.83 = (420.0000 * 0.7615) + 2750.00

Facility Location: 159 OLDWICK RD
OLDWICK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 21

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 20

Design Flow: 0.0100

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0139157
Facility Name: RIDGE AT BACK BROOK

Billing Address: RIDGE @ BACK BROOK
211 WERTSVILLE RD
RINGOES, NJ 08551

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 211 WERTSVILLE RD
RINGOES

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 9

Design Flow: 0.0047

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0139653
Facility Name: SAND BARRENS GOLF CLUB

Billing Address: ERM SAND BARRENS LLC
1765 RT 9
SWAINTON, NJ 08210

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3145.98 = (520.0000 * 0.7615) + 2750.00

Facility Location: 1765 RT 9 N
MIDDLE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 26

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 25

Design Flow: 0.0123

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0140767

Facility Name: WAWA FOOD MARKET #909

Billing Address: WAWA INC
260 W BALTIMORE PK
WAWA, PA 190635699

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2871.84 = (160.0000 * 0.7615) + 2750.00

Facility Location: 548 MONMOUTH RD
MILLSTONE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 8

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 7

Design Flow: 0.0035

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0140287

Facility Name: FALLONE - SENIOR RESTRICTED HOUSING

Billing Address: FALLONE @ UNION
3322 RT 22 - STE 1401
BRANCHBURG TWP, NJ 088764407

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: PERRYVILLE RD
UNION

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 45

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 44

Design Flow: 0.0221

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0140571
Facility Name: LOOKOUT POINTE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3252.59 = (660.0000 * 0.7615) + 2750.00

Facility Location: RUPELL RD
UNION TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 33

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 32

Design Flow: 0.0162

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141097
Facility Name: BELVIDERE SAND & GRAVEL

Billing Address: H&K GROUP
2052 LUCON RD
SKIPPACK, PA 19474

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2940.38 = (250.0000 * 0.7615) + 2750.00

Facility Location: S BRIDGEVILLE RD
WHITE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined
Pollution Potential Factor: 250 Food processing wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0140937

Facility Name: CAROL LYNN RESORTS EAST LLC

Billing Address: ENVIRONMENTAL & TECHNICAL SERVICES
LLC
PO BOX 608

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3343.97 = (780.0000 * 0.7615) + 2750.00

Facility Location: 33 TO 165 FREMONT AVE
WOODBINE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 39

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 38

Design Flow: 0.0191

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141208
Facility Name: NESHANIC VALLEY GOLF COURSE

Billing Address: SOMERSET CNTY
20 GROVE ST
SOMERVILLE, NJ 08876

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2959.41 = (275.0000 * 0.7615) + 2750.00

Facility Location: 2301 S BRANCH RD
BRANCHBURG TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 11

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 10

Design Flow: 0.0049

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141232
Facility Name: PENNINGTON POINT WEST COMMERCIAL

Billing Address: PENNINGTON POINT WEST PROPERTY
OWNERS AS
2 EDGEWOOD RD

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2959.41 = (275.0000 * 0.7615) + 2750.00

Facility Location: TREE FARM RD
PENNINGTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 11

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 10

Design Flow: 0.0049

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141445

Facility Name: BERKSHIRE VALLEY GOLF COURSE

Billing Address: MORRIS CNTY PARK COMM
PO BOX 1295
MORRISTOWN, NJ 079621295

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2841.38 = (120.0000 * 0.7615) + 2750.00

Facility Location: BERKSHIRE VALLEY & COZY LAKE RDS
OAK RIDGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 5

Design Flow: 0.0026

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141569
Facility Name: LITTLE HILL FOUNDATION

Billing Address: LITTLE HILL FOUNDATION ALINA LODGE
61 WARD RD
BLAIRSTOWN, NJ 07825

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3176.44 = (560.0000 * 0.7615) + 2750.00

Facility Location: 61 WARD RD
HARDWICK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 28

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 27

Design Flow: 0.0135

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0141801
Facility Name: WILLOW SCHOOL

Billing Address: WILLOW SCHOOL
1150 POTTERSVILLE RD
GLADSTONE, NJ 07934

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 1150 POTTERSVILLE RD
GLADSTONE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 9

Design Flow: 0.0047

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0142115
Facility Name: ORCHARD ESTATES

Billing Address: ORCHARD ESTATES LLC
PO BOX 770
HOWELL, NJ 07731

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2921.34 = (225.0000 * 0.7615) + 2750.00

Facility Location: YELLOWBROOK RD
HOWELL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 8

Design Flow: 0.0040

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0142026

Facility Name: WOODBINE AIRPORT BUSINESS PARK STP

Billing Address: WOODBINE BORO
501 WASHINGTON AVE
WOODBINE, NJ 08270

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: DEHIRSCH AVE
WOODBINE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 201

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 200

Design Flow: 0.1000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0081370

Facility Name: GERRESHEIMER GLASS INC

Billing Address: GERRESHEIMER GLASS INC
1300 WHEATON AVE
MILLVILLE, NJ 08332

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 1300 WHEATON AVE
MILLVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0142409
Facility Name: A C MOORE

Billing Address: AC MOORE INC
130 AC MOORE DR
BERLIN, NJ 08009

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3024.14 = (360.0000 * 0.7615) + 2750.00

Facility Location: 130 A C MOORE DR
WINSLOW TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 18

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 17

Design Flow: 0.0084

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0142417

Facility Name: ASPEN ICE OF RANDOLPH

Billing Address: ASPEN ICE OF RANDOLPH
477 RT 10
RANDOLPH TWP, NJ 07869

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: MIDDLEBURY BLVD
RANDOLPH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 15

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 14

Design Flow: 0.0070

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0157074

Facility Name: ELK TWP RECREATIONAL FIELDS

Billing Address: ELK TWP
667 WHIG LANE RD
MONROEVILLE, NJ 083439209

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2856.61 = (140.0000 * 0.7615) + 2750.00

Facility Location: 667 WHIG LANE RD
MONROEVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 7

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 6

Design Flow: 0.0030

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0142883
Facility Name: LAMINGTON FARM CLUB/TRUMP NATIONAL

Billing Address: GLADSTONE DESIGN INC
PO BOX 400 - 265 MAIN ST
GLADSTONE, NJ 07934

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3492.46 = (975.0000 * 0.7615) + 2750.00

Facility Location: 567 LAMINGTON RD
BEDMINSTER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 39

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 38

Design Flow: 0.0188

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0143391

Facility Name: CLINTON WELLNESS CENTER

Billing Address: CLINTON WELLNESS CENTER
1738 RT 31
CLINTON, NJ 08809

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3302.09 = (725.0000 * 0.7615) + 2750.00

Facility Location: 1738 RT 31 NORTH
CLINTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 29

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 28

Design Flow: 0.0142

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0144177

Facility Name: ROCK AVENUE TRANSFER STATION

Billing Address: PLAINFIELD CITY MUA
127 ROOSEVELT AVE
PLAINFIELD, NJ 07060

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 87-95 ROCK AVE
PLAINFIELD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0145564

Facility Name: MEADOWS AT MANSFIELD THE

Billing Address: MEADOWS @ MANSFIELD
10 PEAPACK RD
FAR HILLS, NJ 07931

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: RT 57
MANSFIELD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 91

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 90

Design Flow: 0.0452

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0145831
Facility Name: DUKE FARMS

Billing Address: DUKE FARMS FOUNDATION
1112 DUKES PKWY W
HILLSBOROUGH, NJ 08844

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3130.75 = (500.0000 * 0.7615) + 2750.00

Facility Location: 80 RT 206 S
HILLSBOROUGH

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 25

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 24

Design Flow: 0.0120

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0145891
Facility Name: ROUTE 12 BUSINESS PARK

Billing Address: KINGWOOD FLEX LLC
6305 KENNEDY BLVD
NORTH BERGEN, NJ 07047

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2864.23 = (150.0000 * 0.7615) + 2750.00

Facility Location: 843 RT 12 W
KINGWOOD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 5

Design Flow: 0.0024

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0145971

Facility Name: SOIL SAFE LOGAN FACILITY

Billing Address: SOIL SAFE INC
6700 ALEXANDER BELL DR - STE 300
COLUMBIA, MD 21046

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2978.45 = (300.0000 * 0.7615) + 2750.00

Facility Location: 378 RT 130
LOGAN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 1 Pass-through wastewater to DSW or POTW, lined

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0134201
Facility Name: CHESTER POOL @ BLACK RIVER MIDDLE

Billing Address: CHESTER BORO
50 N RD
CHESTER, NJ 07930

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2921.34 = (225.0000 * 0.7615) + 2750.00

Facility Location: RT 513
CHESTER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 8

Design Flow: 0.0038

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0146102
Facility Name: HILLSBOROUGH CHASE

Billing Address: NJ AMERICAN WATER CO
PO BOX 5602
CHERRY HILL, NJ 08034

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4215.89 = (1925.0000 * 0.7615) + 2750.00

Facility Location: BEEKMAN LN & NEW CENTRE RD
HILLSBOROUGH

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 77

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 76

Design Flow: 0.0381

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0146200
Facility Name: AJ SEERAT LLC

Billing Address: AJ SEERAT LLC
1222 SHADY CREEK LN
VINELAND, NJ 08360

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3073.64 = (425.0000 * 0.7615) + 2750.00

Facility Location: 2205 DELSEA DR
FRANKLINVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 17

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 16

Design Flow: 0.0080

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0146676

Facility Name: BRANCHVILLE WWTP & GROUNDWATER

Billing Address: PAULINS KILL WATER RECLAMATION SUSSEX
34 RT 94
LAFAYETTE, NJ 07848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8857.23 = (8020.0000 * 0.7615) + 2750.00

Facility Location: RT 206
FRANKFORD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 401

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 400

Design Flow: 0.2000

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0147109

Facility Name: TRUMP NATIONAL GOLF CLUB

Billing Address: TRUMP NATIONAL GOLF CLUB
1 TRUMP NATIONAL BLVD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3313.51 = (740.0000 * 0.7615) + 2750.00

Facility Location: 7C YEARLING PATCH
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 37

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 36

Design Flow: 0.0180

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0147133

Facility Name: LAKEWOOD TWP MUA - WELL #2

Billing Address: LAKEWOOD TWP MUA
390 NEW HAMPSHIRE AVE
LAKEWOOD, NJ 08701

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: OFF BUCKINGHAM DR
LAKEWOOD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0147559

Facility Name: PURE EARTH RECYCLING NJ INC

Billing Address: TRADEBE TREATMENT & RECYCLING
50 CROSS ST
BRIDGEPORT, CT 06610

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 8461.25 = (7500.0000 * 0.7615) + 2750.00

Facility Location: 3137 CHAMMINGS CT
VINELAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 300 Other industrial process wastewater

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0147575
Facility Name: MCDONALDS RESTAURANT

Billing Address: STIMMLER FOODS INC
PO BOX 395 - 735 RT 15
LAKE HOPATCONG, NJ 07849

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2902.30 = (200.0000 * 0.7615) + 2750.00

Facility Location: 735 RT 15 S
LAKE HOPATCONG

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)
Pollution Potential Factor: 8

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 7

Design Flow: 0.0037

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0150045

Facility Name: MOUNT LAUREL TWP MUA WELL #7

Billing Address: MOUNT LAUREL TWP MUA
1201 S CHURCH ST
MOUNT LAUREL, NJ 08054

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: AQUIFER STORAGE & RECOVERY ASR FAC
MOUNT LAUREL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0150711

Facility Name: SUEZ WATER TOMS RIVER

Billing Address: SUEZ WATER OF TOMS RIVER INC
1451 RT 37 - STE 2
TOMS RIVER, NJ 08755

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: 2131 WHITESVILLE RD
TOMS RIVER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0155276

Facility Name: ATLANTIC CITY MUA WELL TW-1

Billing Address: ATLANTIC CITY MUA
PO BOX 117 - 401 N VIRGINIA AVE
ATLANTIC CITY, NJ 084040117

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: ALBANY AVE
ATLANTIC CITY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0155691

Facility Name: MONROE MUA ASR WELLS 11 &14

Billing Address: MONROE TWP MUA
372 S MAIN ST
WILLIAMSTOWN, NJ 08094

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: CORKERY LN & BLACK HORSE PK
WILLIAMSTOWN

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0157058

Facility Name: MANOR HOMES @ COLTS NECK THE

Billing Address: COLTS NECK BUILDING ASSOC LLC
666 5TH AVE
NEW YORK, NY 10103

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: RT 537
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 29

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 28

Design Flow: 0.0140

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0157091
Facility Name: WAWA CONVENIENCE STORE #974

Billing Address: WAWA INC
260 W BALTIMORE PK
WAWA, PA 190635699

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2841.38 = (120.0000 * 0.7615) + 2750.00

Facility Location: RT 322 & SWEDESBORO-PAULSBORO RD
WOOLWICH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 5

Design Flow: 0.0026

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0157716

Facility Name: DAYTOP VILLAGE OF NJ

Billing Address: DAYTOP VILLAGE OF NJ
9 HARDING HWY
PITTSRGROVE, NJ 08318

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3130.75 = (500.0000 * 0.7615) + 2750.00

Facility Location: 4 HARDING HWY
PITTSRGROVE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 25

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 24

Design Flow: 0.0120

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0159191

Facility Name: USPS TRENTON PROCESS AND DISTRIBUTION

Billing Address: US POSTAL SERVICE
680 RT 130
TRENTON, NJ 086509998

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6557.50 = (5000.0000 * 0.7615) + 2750.00

Facility Location: 680 RT 130
HAMILTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 200 Non-contact cooling water

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0159948
Facility Name: CROSSED KEYS INN

Billing Address: CELSOS CATERERS
136 MAIN ST
ANDOVER, NJ 078214517

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: 289 PEQUEST RD
ANDOVER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 9

Design Flow: 0.0045

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0162434

Facility Name: STAVOLA OLD BRIDGE MATERIALS LLC

Billing Address: THE STAVOLA COMPANIES
175 DRIFT RD
TINTON FALLS, NJ 07724

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4653.75 = (2500.0000 * 0.7615) + 2750.00

Facility Location: 1 WATER WORKS RD
OLD BRIDGE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0166561

Facility Name: WANTAGE VILLAGE DEVELOPMENT

Billing Address: WANTAGE RIDGE DEVELOPMENT LLC
90 MT PLEASANT AVE
DOVER, NJ 07801

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: RT 639
WANTAGE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 40

Design Flow: 0.0199

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0166791
Facility Name: HAMPTON SQUARE

Billing Address: CAGE INVESTORS LLC
1275 BLOOMFIELD AVE
FAIRFIELD, NJ 07004

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: 78 HAMPTON HOUSE RD
NEWTON

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 40
Design Flow: 0.0199

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0166987
Facility Name: HERITAGE VILLAGE 55

Billing Address: INTEGRA MANAGEMENT CO
200 VALLEY RD - STE 203
MOUNT ARLINGTON, NJ 07856

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2932.76 = (240.0000 * 0.7615) + 2750.00

Facility Location: CALAIS RD
RANDOLPH TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 12

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 11

Design Flow: 0.0053

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0167495
Facility Name: M & M CHESTER LLC

Billing Address: M&M CHESTER LLC
400 POST AVE - STE 303
WESTBURY, NY 11590

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2887.07 = (180.0000 * 0.7615) + 2750.00

Facility Location: 4 MILL RIDGE LANE
CHESTER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 8

Design Flow: 0.0040

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0167631

Facility Name: OAKLAND CROSS ROADS

Billing Address: LINCOLN REALTY ASSOCIATES LLC
100 DUTCH HILL RD - STE 340
ORANGEBURG, NY 10962

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3008.91 = (340.0000 * 0.7615) + 2750.00

Facility Location: WEST OAKLAND AVE
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 17

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 16

Design Flow: 0.0079

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0167827
Facility Name: MARMORA SHOPPING CENTER AKA MARMORA

Billing Address: SCARBOROUGH PROPERTIES
6 W ROOSEVELT BLVD
MARMORA, NJ 08223

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 3191.67 = (580.0000 * 0.7615) + 2750.00

Facility Location: OLD TUCKAHOE RD & STAGECOACH RD
UPPER TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 29

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 28

Design Flow: 0.0142

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0169030
Facility Name: WAWA INC

Billing Address: WAWA INC
260 BALTIMORE TPKE
WAWA, PA 19063

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2841.38 = (120.0000 * 0.7615) + 2750.00

Facility Location: 2356 RT 206
SOUTHAMPTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 6

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 5

Design Flow: 0.0027

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0170330

Facility Name: WAWA FOOD MARKET & GASOLINE SALES

Billing Address: WAWA INC
260 W BALTIMORE PK
WAWA, PA 190635699

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2887.07 = (180.0000 * 0.7615) + 2750.00

Facility Location: 631 RT 322
MULLICA HILL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 9

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 8

Design Flow: 0.0040

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0218031
Facility Name: LAKEWOOD TWP MUA

Billing Address: LAKEWOOD TWP MUA
390 NEW HAMPSHIRE AVE
LAKEWOOD, NJ 08701

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: 390 NEW HAMPSHIRE AVE
LAKEWOOD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0171085

Facility Name: WWWU REVERSE CIR REPLACEMENT # 48

Billing Address: WILDWOOD CITY WATER UTILITY
3100 NEW JERSEY AVE
WILDWOOD, NJ 08260

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: RALIEGH AVE
WILDWOOD

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Operating Landfill
FY2019**

NJPDES Number: NJ0171271
Facility Name: KEEGAN SLF

Billing Address: NJ SPORTS & EXPOSITION AUTH
PO BOX 640 - 1 DEKORTE PARK PLAZA
LYNDHURST, NJ 07071

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 18094.05 = (14700.000 * 0.7615) + 6900.00

Facility Location: 437 BERGEN AVE
KEARNY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 30 Landfills, completely lined
Pollution Potential Factor: 490

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 20 Sanitary Landfills
Pollution Loading Factor: 470

Tons of Solid Waste Deposited: 187729.93 The Pollution Loading Factor for landfills equals the tons of solid waste deposited during 2017, divided by 400, rounded to the nearest integer, plus 1

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0173754
Facility Name: HAMPTON CROSSINGS

Billing Address: CAGE INVESTORS LLC
1275 BLOOMFIELD AVE
FAIRFIELD, NJ 07004

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: RT 206
HAMPTON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 399

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 398
Design Flow: 0.1988

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0176389

Facility Name: LAKEHURST CONSOLIDATED LOG & TRG FAC

Billing Address: NJ DEPT OF MILITARY & VETERANS AFFAIRS
101 EGGERTS CROSSING RD
LAWRENCEVILLE, NJ 08648

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2993.68 = (320.0000 * 0.7615) + 2750.00

Facility Location: RT 539
JACKSON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 15

Design Flow: 0.0077

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0179990
Facility Name: ASHFORD ESTATE

Billing Address: ASHFORD ESTATE LLC
4569-4573 S BROAD ST - STE 2
HAMILTON, NJ 08620

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6959.49 = (1260.0000 * 0.7615) + 6000.00

Facility Location: 637 PROVINCE LINE RD
UPPER FREEHOLD TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 63

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 62

Design Flow: 0.0310

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0182966

Facility Name: HUDDY'S RESTAURANT

Billing Address: AMERICAN HERITAGE REALTY LLC
PO BOX 298
COLTS NECK, NJ 07722

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2993.68 = (320.0000 * 0.7615) + 2750.00

Facility Location: 20 RT 537 E
COLTS NECK

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 16

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 15

Design Flow: 0.0074

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0193356

Facility Name: USDOD JOINT BASE MCGUIRE DIX LAKEHURST

Billing Address: USDOD MCGUIRE AFB JBMDL 87 CES/CEIE
2404 VANDENBERG AVE
MCGUIRE AFB, NJ 08641

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 5704.62 = (3880.0000 * 0.7615) + 2750.00

Facility Location: GRAND CONCOURSE
JB MDL

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 194

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 193

Design Flow: 0.0966

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0204994
Facility Name: ABERDEEN STATION

Billing Address: NEW JERSEY AMERICAN WATER
310 SWIMMING RIVER RD
COLTS NECK, NJ 07722

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7523.00 = (2000.0000 * 0.7615) + 6000.00

Facility Location: 41 IMBROOK
ABERDEEN TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0205893
Facility Name: HIGHVIEW ESTATES

Billing Address: ALICE MARTIN
PO BOX 158 -15 RT 206
NEWTON, NJ 078600158

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: RT 94
FREDON TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 40

Design Flow: 0.0200

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0208990

Facility Name: FRANKFORD TOWN CTR WTF

Billing Address: SUSSEX COMMONS ASSOC LLC
36 PARTIDGE RUN
MONTVALE, NJ 076451028

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: INTERSECTION OF RTS 15 206 & 565
AUGUSTA

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 281

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 280

Design Flow: 0.1400

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0210901

Facility Name: RIVERSIDE CENTER LLC

Billing Address: XXXIII ASSOC RIVERSIDE CENTER LLC
3499 RT 9 - STE 1E
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: RT 33 WEST
MILLSTONE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 41

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 40

Design Flow: 0.0199

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0213195

Facility Name: ASR REPLACEMENT WELL NUMBER 49

Billing Address: WILDWOOD CITY WATER UTILITY
3100 NEW JERSEY AVE
WILDWOOD, NJ 08260

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 4273.00 = (2000.0000 * 0.7615) + 2750.00

Facility Location: MYRTLE RD AND PARK BLVD
WILDWOOD CREST

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0227536

Facility Name: MOUNTAIN VIEW SEWER PLANT

Billing Address: MOUNTAIN VIEW MANOR @ WANTAGE INC
7 BOULDER HILLS BLVD
WANTAGE, NJ 07461

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: 18 BOULDER HILLS BLVD
WANTAGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 10

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 9

Design Flow: 0.0046

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0228338

Facility Name: NORTHVILLAGE@SPARTA WTP

Billing Address: VILLAGE UTILITY LLC
334 SPARTA AVE - STE B
SPARTA, NJ 07871

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: RT 15 & WHITE LK RD
SPARTA

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 241

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 240

Design Flow: 0.1200

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0239755
Facility Name: 2058 SOUTH SHORE RD LLC

Billing Address: 2058 SOUTH SHORE ROAD LLC
PO BOX 508
OCEAN CITY, NJ 08226

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6593.97 = (780.0000 * 0.7615) + 6000.00

Facility Location: PO 508
OCEAN CITY

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for diacharge to ground (sanitary with at least secondary treatment)
Pollution Potential Factor: 39

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 38

Design Flow: 0.0188

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0246930
Facility Name: RAAJIPO LLC

Billing Address: RAAJIPO LLC
29 LACKLAND AVE
PISCATAWAY, NJ 08854

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: HANKINS RD
ROBBINSVILLE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 56

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 55

Design Flow: 0.0276

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0251801
Facility Name: CTC ACADEMY

Billing Address: CTC ACADEMY
125 BAUER DR
OAKLAND, NJ 07436

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 2750.00 = (0.0000 * 0.7615) + 2750.00

Facility Location: 125 BAUER DR
OAKLAND

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 17

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 16

Design Flow: 0.0078

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0253324
Facility Name: HILLANDALE

Billing Address: AUBER RESOURCES INC
14 FAIRMOUNT AVE
CHATHAM, NJ 07928

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: 22 ST JOHN DR
MENDHAM TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)
Pollution Potential Factor: 29

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage
Pollution Loading Factor: 28

Design Flow: 0.0141

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0257761

Facility Name: KEAN UNIVERSITY MOUNT PAUL CAMPUS

Billing Address: NJ KEAN UNIVERSITY
1000 MORRIS AVE - DN 106
UNION, NJ 07083

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: 240 Mount Paul Road
OAK RIDGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 15

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 14

Design Flow: 0.0071

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0262731

Facility Name: NJ DEPT. OF TREASURY - DPMC

Billing Address: NJ DEPT OF TREASURY DPMC
PO BOX 34 - 33 W STATE ST
TRENTON, NJ 08625

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: 540 NEWMAN SPRINGS RD
MARLBORO

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 7

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 6

Design Flow: 0.0029

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0262986

Facility Name: SOUTH JERSEY AGRICULTURAL PRODUCTS

Billing Address: SOUTH JERSEY AGRICULTURAL PRODUCTS
RD&D
295 RT 77

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 7903.75 = (2500.0000 * 0.7615) + 6000.00

Facility Location: 295 NEW JERSEY ROUTH 77 SOUTH
ELMER

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 25 Designed for discharge to the ground (non-sanitary with at least secondary treatment)

Pollution Potential Factor: 100 Stormwater runoff

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0263524

Facility Name: XXXIII ASSOCIATES / RIVERSIDE CENTER

Billing Address: XXXIII ASSOC RIVERSIDE CENTER LLC
3499 RT 9 - STE 1E
FREEHOLD, NJ 07728

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: PERRINEVILLE RD
MONROE TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 55

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 54

Design Flow: 0.0270

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0265624

Facility Name: CHELSEA FORGE VINTNERS

Billing Address: CHELSEA FORGE VINTNERS LLC
269 RT 627
MILFORD, NJ 08848

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6000.00 = (0.0000 * 0.7615) + 6000.00

Facility Location: 269 RT 627
POHATCONG TWP

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 0 Permitted, but not being discharged (not applicable to landfills)

Pollution Potential Factor: 5

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 4

Design Flow: 0.0021

**New Jersey Pollutant Discharge Elimination System
Groundwater
FY2019**

NJPDES Number: NJ0272531

Facility Name: MOUNTAIN VIEW MANOR

Billing Address: MOUNTAIN VIEW MANOR @ WANTAGE INC
7 BOULDER HILLS BLVD
WANTAGE, NJ 07461

Permit Fee = (**Environmental * Rate**) + **Minimum**
Value Fee
\$ 6456.90 = (600.0000 * 0.7615) + 6000.00

Facility Location: BOULDER HILLS BLVD
WANTAGE

Environmental Value = Discharge Control Factor * Pollution Potential Factor

Discharge Control Factor: 20 Designed for discharge to ground (sanitary with at least secondary treatment)

Pollution Potential Factor: 30

The Pollution Potential Factor equals the sum of the Pollution Rating Factor and the Pollution Loading Factor

Pollution Rating Factor: 1 Sanitary Sewage

Pollution Loading Factor: 29

Design Flow: 0.0143